ELSEVIER

Journal of Hydrology 244 (2001) 201–222

Journal of Hydrology

www.elsevier.com/locate/jhydrol

Cumulative Author Index Volumes 228–241

Ababou, R. see Labat, D. 238(3-4) [2000]: 123-148

Ababou, R. see Labat, D. 238(3-4) [2000]: 149-178

Abadi Ghadim, A.K. Water repellency; a whole-farm bio-economic perspective 231-232 [2000]: 396-405

Abbott, M.D., Lini, A. and Bierman, P.R. d18O, dD and 3H measurements constrain groundwater recharge patterns in an upland fractured bedrock aquifer, Vermont, USA 228(1-2) [2000]: 101-112

Aboal, J.R., Jiménez, M.S., Morales, D. and Gil, P. Effects of thinning on throughfall in Canary Islands pine forest; the role of fog 238(3-4) [2000]: 218-230

Acheampong, S.Y. and Hess, J.W. Origin of the shallow groundwater system in the southern Voltaian sedimentary basin of Ghana; an isotopic approach 233(1-4) [2000]: 37-53

Adamowski, K. Regional analysis of annual maximum and partial duration flood data by nonparametric and L-moment methods 229(3-4) [2000]: 219-231

Adams, S., Titus, R., Pietersen, K., Tredoux, G. and Harris, C. Hydrochemical characteristics of aquifers near Sutherland in the western Karoo, South Africa 241(1-2) [2001]: 91-103

Ahn, H. Modeling of groundwater heads based on second-order difference time series models 234(1-2) [2000]: 82-94

Ahuja, L. see Cameira, M.R. 236(1-2) [2000]: 78-90

Aizen, E. see Aizen, V. 238(1-2) [2000]: 15-34

Aizen, V., Aizen, E., Glazirin, G. and Loaiciga, H.A. Simulation of daily runoff in Central Asian alpine watersheds 238(1-2) [2000]: 15-34

Al-Awadi, E. see Szekely, F. 235(3-4) [2000]: 205-220

Al-Rashed, M. see Szekely, F. 235(3-4) [2000]: 205-220

Al-Sumait, A. see Szekely, F. 235(3-4) [2000]: 205-220

Allen, R.G. Using the FAO-56 dual crop coefficient method over an irrigated region as part of an evapotranspiration intercomparison study 229(1-2) [2000]: 27-41

Anctil, F. see Coulibaly, P. 230(3-4) [2000]: 244-257

Anderson, M.G. see Hardy, R.J. 229(3-4) [2000]: 202-218

Andrieu, H. see Thielen, J. 239(1-4) [2000]: 97-114

Andrieux, P. see Ribolzi, O. 233(1-4) [2000]: 241-257

Anning, D. see Westerhoff, P. 236(3-4) [2000]: 202-222

Antolik, Mark S. An overview of the National Weather Service's centralized statistical quantitative precipitation forecasts 239(1-4) [2000]: 306-337

Arnaud, P. see Leviandier, T. 240(1-2) [2000]: 62-79

Aronica, G. and Cannarozzo, M. Studying the hydrological response of urban catchments using a semi-distributed linear non-linear model 238(1-2) [2000]: 35-43

PII: S0022-1694(01)

Arora, M. see Singh, P. 235(1-2) [2000]: 1-11

Asquith, W.H. and Famiglietti, J.S. Precipitation areal-reduction factor estimation using an annual-maxima centered approach 230(1-2) [2000]: 55-69

Asselman, N.E.M. Fitting and interpretation of sediment rating curves 234(3-4) [2000]: 228-248

Athavale, R.N. see Rangarajan, R. 234(1-2) [2000]: 38-53

Atteia, O. see Mavrocordatos, D. 237(3-4) [2000]: 234-247

Atteia, O. see Hauns, M. 241(3-4) [2001]: 177-193

Austin, G.L. see Smith, K.T. 239(1-4) [2000]: 34-45

Avanzino, R.J. see Silva, S.R. 228(1-2) [2000]: 22-36

Bachmann, J., Ellies, A. and Hartge, K.H. Development and application of a new sessile drop contact angle method to assess soil water repellency 231-232 [2000]: 66-75

Baeck, M.L. see Ogden, F.L. 228(1-2) [2000]: 82-100

Baltas, E. see Mimikou, M.A. 234(1-2) [2000]: 95-109

Bandopadhyay, I. see Genereux, D. 241(3-4) [2001]: 286-303

Bariac, T. see Ribolzi, O. 233(1-4) [2000]: 241-257

Barlow, P.M. see Moench, A.F. 230(3-4) [2000]: 192-210

Barlow, P.M., DeSimone, L.A. and Moench, A.F. Aquifer response to stream-stage and recharge variations; II, Convolution method and applications 230(3-4) [2000]: 211-229

Barry, D.A., Parlange, J.Y., Hogarth, W.L., Govindaraju, R.S., Parlange, M.B., Lockington, D., Li, L., Serrano, S.E. and Workman, S.R. Modeling transient stream/aquifer interaction with the non-linear Boussinesq equation and its analytical solution [discussions and replies] 235(3-4) [2000]: 289-298

Barth, S.R. Stable isotope geochemistry of sediment-hosted groundwater from a late Paleozoic-early Mesozoic section in Central Europe 235(1-2) [2000]: 72-87

Basson, M.S. and Van Rooyen, J.A. Practical application of probabilistic approaches to the management of water resource systems 241(1-2) [2001]: 53-61

Bastiaanssen, W.G.M. SEBAL-based sensible and latent heat fluxes in the irrigated Gediz Basin, Turkey 229(1-2) [2000]: 87-100

Bates, P.D. see Hardy, R.J. 229(3-4) [2000]: 202-218

Bates, P.D. and De Roo, A.P.J. A simple raster-based model for flood inundation simulation 236(1-2) [2000]: 54-77

Bathurst, J.C. see Lukey, B.T. 235(1-2) [2000]: 44-62

Bauters, T.W.J., Steenhuis, T.S., DiCarlo, D.A., Nieber, J.L., Dekker, Louis W., Ritsema, Coen J., Parlange, J.Y. and Haverkamp, R. Physics of water repellent soils 231-232 [2000]: 233-243

Bauters, T.W.J., DiCarlo, D.A., Steenhuis, T.S. and Parlange, J.Y. Soil water content dependent wetting front characteristics in sands 231-232 [2000]: 244-254

Bauters, T.W.J. see Nieber, J.L. 231-232 [2000]: 295-307

Beckers, J. and Frind, E.O. Simulating groundwater flow and runoff for the Oro Moraine aquifer system; Part I, Model formulation and conceptual analysis 229(3-4) [2000]: 265-280

Bednar, D., Jr.(reviewer). Tracing technique in geohydrology [book review] 234(1-2) [2000]: 110-111

Bednar, D.M., Jr.(reviewer). Speleogenesis; evolution of karst aquifers [book review] 240(1-2) [2000]: 145-146

Beekman, H.E. see de Vries, J.J. 238(1-2) [2000]: 110-123

Bennett, S.P. see Carter, M.M. 239(1-4) [2000]: 162-178

Bennie, A.T.P. and Hensley, M. Maximizing precipitation utilization in dryland agriculture in South Africa; a review 241(1-2) [2001]: 124-139

Bernier, J. see Perreault, L. 235(3-4) [2000]: 221-241

Bernier, J. see Perreault, L. 235(3-4) [2000]: 242-263

Bertrand, C. see Guglielmi, Y. 229(3-4) [2000]: 138-148

Beschta, R.L., Pyles, M.R., Skaugset, A.E. and Surfleet, C.G. Peakflow responses to forest practices in the western Cascades of Oregon, USA 233(1-4) [2000]: 102-120

Beven, K. see Cameron, D. 228(1-2) [2000]: 130-149

Beyazgul, M., Kayam, Y. and Engelsman, F. Estimation methods for crop water requirements in the Gediz Basin of western Turkey 229(1-2) [2000]: 19-26

Bierman, P.R. see Abbott, M.D. 228(1-2) [2000]: 101-112

Biggs, B.J.F. see Clausen, B. 237(3-4) [2000]: 184-197

Birkinshaw, S.J. and Ewen, J. Nitrogen transformation component for SHETRAN catchment nitrate transport modelling 230(1-2) [2000]: 1-17

Birkinshaw, S.J. and Ewen, J. Modelling nitrate transport in the Slapton Wood catchment using SHETRAN 230(1-2) [2000]: 18-33

Blackwell, P.S. see Harper, R.J. 231-232 [2000]: 371-383

Blackwell, P.S. Management of water repellency in Australia, and risks associated with preferential flow, pesticide concentration and leaching 231-232 [2000]: 384-395

Bobee, B. see Yue, S. 228(3-4) [2000]: 283

Bobee, B. see Coulibaly, P. 230(3-4) [2000]: 244-257

Bobee, B. see Perreault, L. 235(3-4) [2000]: 221-241

Bobee, B. see Perreault, L. 235(3-4) [2000]: 242-263

Boluda-Botella, N. see Gomis-Yagues, V. 228(1-2) [2000]: 48-55

Bordier, C. and Zimmer, D. Drainage equations and non-Darcian modelling in coarse porous media or geosynthetic materials 228(3-4) [2000]: 174-187

Botha, J.F. see van Tonder, G.J. 241(1-2) [2001]: 70-90

Bottomley, D. see Douglas, M. 235(1-2) [2000]: 88-103

Bouarfa, S. and Zimmer, D. Water-table shapes and drain flow rates in shallow drainage systems 235(3-4) [2000]: 264-275

Boudevillain, B. see Thielen, J. 239(1-4) [2000]: 97-114

Bouten, I.W. see Tobon Marin, C. 237(3-4) [2000]: 169-183

Bouten, W. see Tobon Marin, C. 237(1-2) [2000]: 40-57

Bouvier, C. see Wotling, G. 233(1-4) [2000]: 86-101

Bouzigues, R. see Ribolzi, O. 233(1-4) [2000]: 241-257

Brady, R.M. see Mehta, S. 238(1-2) [2000]: 44-64

Brandsma, T. see de Bruijn, E.I.F. 239(1-4) [2000]: 148-161

Brath, A. see Toth, E. 239(1-4) [2000]: 132-147

Brath, A. see Castellarin, A. 241(3-4) [2001]: 270-285

Bristow, K.L. see Walton, R.S. 233(1-4) [2000]: 19-36

Brown, C.J., Schoonen, M.A.A. and Candela, J.L. Geochemical modeling of iron, sulfur, oxygen and carbon in a coastal plain aquifer 237(3-4) [2000]: 147-168

Bruneau, P. see Yue, S. 228(3-4) [2000]: 283

Burn, D.H. see Castellarin, A. 241(3-4) [2001]: 270-285

Cameira, M.R., Ahuja, L., Fernando, R.M. and Pereira, L.S. Evaluating field measured soil hydraulic properties in water transport simulations using the RZWQM 236(1-2) [2000]: 78-90

Cameron, D., Beven, K. and Tawn, J. An evaluation of three stochastic rainfall models 228(1-2) [2000]: 130-149

Canavos, G.C. see Koutrouvelis, I.A. 234(1-2) [2000]: 71-81

Canaway, P.M. see York, C.A. 231-232 [2000]: 126-133

Candela, J.L. see Brown, C.J. 237(3-4) [2000]: 147-168

Canepa, M. see Marini, L. 241(3-4) [2001]: 194-220

Cann, M.A. Clay spreading on water repellent sands in the south east of South Australia; promoting sustainable agriculture 231-232 [2000]: 333-341

Cannarozzo, M. see Aronica, G. 238(1-2) [2000]: 35-43

Carey, S.K. and Woo, M.K. The role of soil pipes as a slope runoff mechanism, subarctic Yukon, Canada 233(1-4) [2000]: 206-222

Carrillo, M.L.K. see Letey, J. 231-232 [2000]: 61-65

Carter, D.J. see McKissock, I. 231-232 [2000]: 323-332

Carter, D.J. see Harper, R.J. 231-232 [2000]: 371-383

Carter, M.M., Elsner, J.B. and Bennett, S.P. A quantitative precipitation forecast experiment for Puerto Rico 239(1-4) [2000]: 162-178

Caruso, B.S. Integrated assessment of phosphorus in the Lake Hayes catchment, South Island, New Zealand 229(3-4) [2000]: 168-189

Castellarin, A., Burn, D.H. and Brath, A. Assessing the effectiveness of hydrological similarity measures for flood frequency analysis 241(3-4) [2001]: 270-285

Ceballos, A. see Ferreira, A.J.D. 231-232 [2000]: 165-177

Chadwick, O.A. see Holmes, K.W. 233(1-4) [2000]: 154-173

Chang, C.C.Y. see Silva, S.R. 228(1-2) [2000]: 22-36

Chang, H.W. see Kim, T. 236(3-4) [2000]: 165-184

Chang, T.J. see Hsu, M.H. 234(1-2) [2000]: 21-37

Chen, S.H. see Hsu, M.H. 234(1-2) [2000]: 21-37

Chen Liding. see Qiu Yang 240(3-4) [2001]: 243-263

Chiang, W.H. see van Tonder, G.J. 241(1-2) [2001]: 70-90

Choudhury, B.J. Seasonal and interannual variations of total evaporation and their relations with precipitation, net radiation, and net carbon accumulation for the Gediz Basin area 229(1-2) [2000]: 77-86

Cienciala, E., Kucera, J. and Malmer, A. Tree sap flow and stand transpiration of two Acacia mangium plantations in Sabah, Borneo 236(1-2) [2000]: 109-120

Cipolli, F. see Marini, L. 241(3-4) [2001]: 194-220

Cisar, J.L., Williams, K.E., Vivas, H.E. and Haydu, J.J. The occurrence and alleviation by surfactants of soil-water repellency on sand-based turfgrass systems 231-232 [2000]: 352-358

Clark, I.D. see Douglas, M. 235(1-2) [2000]: 88-103

Clarke, P.J. see Franco, C.M.M. 231-232 [2000]: 47-58

Clausen, B. and Biggs, B.J.F. Flow variables for ecological studies in temperate streams; groupings based on covariance 237(3-4) [2000]: 184-197

Clothier, A.N. see Pegram, G.G.S. 241(1-2) [2001]: 26-41

Clothier, B.E., Vogeler, I. and Magesan, G.N. The breakdown of water repellency and solute transport through a hydrophobic soil 231-232 [2000]: 255-264

Coelho, C.O.A. see Ferreira, A.J.D. 231-232 [2000]: 165-177

Cohen, A. see Karasaki, K. 236(1-2) [2000]: 17-34

Colin, F., Puech, C. and de Marsily, Ghislain. Relations between triazine flux, catchment topography and distance between maize fields and the drainage network 236(3-4) [2000]: 139-152

Collier, C.G. see Fox, N.I. 237(1-2) [2000]: 1-16

Collier, Chris G.(editor) and Krzysztofowicz, Roman (editor). Quantitative precipitation forecasting 239(1-4) [2000]: 1-337

Compagnon, F. see Guglielmi, Y. 229(3-4) [2000]: 138-148

Conrad, J.E. see Sililo, O.T.N. 241(1-2) [2001]: 104-109

Contractor, D.N. and Jenson, J.W. Simulated effect of vadose infiltration on water levels in the northern Guam lens aquifer 229(3-4) [2000]: 232-254

Cook, P. see Karasaki, K. 236(1-2) [2000]: 17-34

Cooley, K.R. see Flerchinger, G.N. 237(1-2) [2000]: 86-99

Cooper, D.M., Jenkins, A., Skeffington, R. and Gannon, B. Catchment-scale simulation of stream water chemistry by spatial mixing; theory and application 233(1-4) [2000]: 121-137

Copeland, J. see Ibbitt, R.P. 239(1-4) [2000]: 19-32

Cordery, I. see Sharma, A. 239(1-4) [2000]: 240-248

Corradini, C., Melone, F. and Smith, R.E. Modeling local infiltration for a two-layered soil under complex rainfall patterns 237(1-2) [2000]: 58-73

Coulibaly, P., Anctil, F. and Bobée, B. Daily reservoir inflow forecasting using artificial neural networks with stopped training approach 230(3-4) [2000]: 244-257

Craig, A.R. see McKenzie, R.S. 241(1-2) [2001]: 62-69

Crowder, D.W. and Diplas, P. Using two-dimensional hydrodynamic models at scales of ecological importance 230(3-4) [2000]: 172-191

Dahlgren, R.A. see Lewis, D. 240(1-2) [2000]: 106-117

Dalezios, N.R. see Loukas, A. 235(3-4) [2000]: 299-301

Damrath, U., Doms, G., Frühwald, D., Heise, E., Richter, B. and Steppeler, J.
Operational quantitative precipitation forecasting at the German Weather Service 239(1-4) [2000]: 260-285

Danloux, J. see Wotling, G. 233(1-4) [2000]: 86-101

Dautrebande, S. see Moeremans, B. 234(3-4) [2000]: 162-169

Davis, G.B. see Shimojima, E. 234(3-4) [2000]: 142-161

de Bruijn, E.I.F. and Brandsma, T. Rainfall prediction for a flooding event in Ireland caused by the remnants of Hurricane Charley 239(1-4) [2000]: 148-161

de Bruin, H.A.R. see Meijninger, W.M.L. 229(1-2) [2000]: 42-49

de Lima, O.A.L. and Niwas, Sri. Estimation of hydraulic parameters of shaly sandstone aquifers from geoelectrical measurements 235(1-2) [2000]: 12-26

de Marsily, Ghislain. see Colin, F. 236(3-4) [2000]: 139-152

De Roo, A.P.J. see Bates, P.D. 236(1-2) [2000]: 54-77

de Rooij, G.H. Modeling fingered flow of water in soils owing to wetting front instability; a review 231-232 [2000]: 277-294

de Vries, J.J., Selaolo, E.T. and Beekman, H.E. Groundwater recharge in the Kalahari, with reference to paleo-hydrologic conditions 238(1-2) [2000]: 110-123

DeBano, L.F. Water repellency in soils; a historical overview 231-232 [2000]: 4-32

DeBano, L.F. The role of fire and soil heating on water repellency in wildland environments; a review 231-232 [2000]: 195-206

DeBano, L.F.(compiler) and Dekker, Louis W.(compiler). Water repellency bibliography 231-232 [2000]: 409-412

Deeley, D. see Viney, N.R. 240(1-2) [2000]: 23-44

Dekker, Louis W.(editor). see Ritsema, Coen J. 231-232 [2000]: 1-434

Dekker, Louis W. see Jaramillo, D.F. 231-232 [2000]: 105-111

Dekker, Louis W., Ritsema, Coen J. and Oostindie, K. Extent and significance of water repellency in dunes along the Dutch coast 231-232 [2000]: 112-125

Dekker, Louis W. and Ritsema, Coen J. Wetting patterns and moisture variability in water repellent Dutch soils 231-232 [2000]: 148-164

Dekker, Louis W. see Bauters, T.W.J. 231-232 [2000]: 233-243

Dekker, Louis W. see Wang, Z. 231-232 [2000]: 265-276

Dekker, Louis W. see Ritsema, Coen J. 231-232 [2000]: 308-319

Dekker, Louis W.(compiler). see DeBano, L.F. 231-232 [2000]: 409-412

Dekker, S. see Tobon Marin, C. 237(3-4) [2000]: 169-183

Demidov, V.N. see Kuchment, L.S. 240(1-2) [2000]: 1-22

DeSimone, L.A. see Barlow, P.M. 230(3-4) [2000]: 211-229

Diaz-Fierros, F. see Lopez, E. 229(3-4) [2000]: 255-264

DiCarlo, D.A. see Bauters, T.W.J. 231-232 [2000]: 233-243

DiCarlo, D.A. see Bauters, T.W.J. 231-232 [2000]: 244-254

Diplas, P. see Crowder, D.W. 230(3-4) [2000]: 172-191

Dodge, F.T. see Hughson, D.L. 228(3-4) [2000]: 206-214

Doerr, S.H. and Thomas, A.D. The role of soil moisture in controlling water repellency: new evidence from forest soils in Portugal 231-232 [2000]: 134-147

Doerr, S.H. see Ferreira, A.J.D. 231-232 [2000]: 165-177

Doerr, S.H. see Shakesby, R.A. 231-232 [2000]: 178-191

Dohse, T.E. see Sililo, O.T.N. 241(1-2) [2001]: 104-109

Doms, G. see Damrath, U. 239(1-4) [2000]: 260-285

Donahoe, R.J. see Lu, G. 230(1-2) [2000]: 34-54

Douglas, E.M., Vogel, R.M. and Kroll, C.N. Trends in floods and low flows in the United States; impact of spatial correlation 240(1-2) [2000]: 90-105

Douglas, M., Clark, I.D., Raven, K. and Bottomley, D. Groundwater mixing dynamics at a Canadian Shield mine 235(1-2) [2000]: 88-103

Douglas, M.M. see Townsend, S.A. 229(3-4) [2000]: 118-137

Dreybrodt, W. see Gabrovsek, F. 240(3-4) [2001]: 206-224

Drogue, C. see Mahler, B.J. 238(3-4) [2000]: 179-193

Droogers, Peter. see Kite, Geoff W. 229(1-2) [2000]: 1-2

Droogers, Peter (editor). see Kite, Geoff W. 229(1-2) [2000]: 1-100

Droogers, Peter. see Kite, Geoff W. 229(1-2) [2000]: 3-18

Droogers, Peter. Estimating actual evapotranspiration using a detailed agro-hydrological model 229(1-2) [2000]: 50-58

du Plessis, M.H. see Sililo, O.T.N. 241(1-2) [2001]: 104-109

Durucan, S. see Imrie, C.E. 233(1-4) [2000]: 138-153

Ebert, E.E. and McBride, J.L. Verification of precipitation in weather systems; determination of systematic errors 239(1-4) [2000]: 179-202

Ellies, A. see Bachmann, J. 231-232 [2000]: 66-75

Elliott, J.F. see Sun, X. 239(1-4) [2000]: 4-18

Elsner, J.B. see Carter, M.M. 239(1-4) [2000]: 162-178

Engelsman, F. see Beyazgul, M. 229(1-2) [2000]: 19-26

Esteves, M., Faucher, X., Galle, S. and Vauclin, M. Overland flow and infiltration modelling for small plots during unsteady rain: numerical results versus observed values 228(3-4) [2000]: 265-282

Everson, C.S. The water balance of a first order catchment in the montane grasslands of South Africa 241(1-2) [2001]: 110-123

Ewen, J. see Birkinshaw, S.J. 230(1-2) [2000]: 1-17

Ewen, J. see Birkinshaw, S.J. 230(1-2) [2000]: 18-33

Famiglietti, J.S. see Asquith, W.H. 230(1-2) [2000]: 55-69

Faucher, X. see Esteves, M. 228(3-4) [2000]: 265-282

Feddes, R.A. see van Dam, J.C. 233(1-4) [2000]: 72-85

Fekete, B.M. see Vorosmarty, C.J. 237(1-2) [2000]: 17-39

Fernando, R.M. see Cameira, M.R. 236(1-2) [2000]: 78-90

Ferreira, A.J.D., Coelho, C.O.A., Walsh, R.P.D., Shakesby, R.A., Ceballos, A. and Doerr, S.H. Hydrological implications of soil water-repellency in Eucalyptus globulus forests, north-central Portugal 231-232 [2000]: 165-177

Feyen, J. see Wang, Z. 231-232 [2000]: 265-276

FitzHugh, T.W. and Mackay, D.S. Impacts of input parameter spatial aggregation on an agricultural nonpoint source pollution model 236(1-2) [2000]: 35-53

Flerchinger, G.N. and Cooley, K.R. A ten-year water balance of a mountainous semi-arid watershed 237(1-2) [2000]: 86-99

Follacci, J.P. see Guglielmi, Y. 229(3-4) [2000]: 138-148

Fortin, J.P. see Turcotte, R. 240(3-4) [2001]: 225-242

Fox, N.I. and Collier, C.G. Estimating medium-range catchment flood potential 237(1-2) [2000]: 1-16

Franco, C.M.M., Clarke, P.J., Tate, M.E. and Oades, J.M. Hydrophobic properties and chemical characterisation of natural water repellent materials in Australian sands 231-232 [2000]: 47-58

Franco, C.M.M., Michelsen, P.P. and Oades, J.M. Amelioration of water repellency; application of slow-release fertilisers to stimulate microbial breakdown of waxes 231-232 [2000]: 342-351

Freifeld, B. see Karasaki, K. 236(1-2) [2000]: 17-34

Frind, E.O. see Beckers, J. 229(3-4) [2000]: 265-280

Fritsch, J.M. see Wotling, G. 233(1-4) [2000]: 86-101

Fruhwald, D. see Damrath, U. 239(1-4) [2000]: 260-285

Fryar, A.E. see Mehta, S. 238(1-2) [2000]: 44-64

Fu Bojie. see Qiu Yang 240(3-4) [2001]: 243-263

Fulda, C. see Zoellmann, K. 240(3-4) [2001]: 187-205

Funke, R. see Schumann, A.H. 240(1-2) [2000]: 45-61

Gabrovsek, F. and Dreybrodt, W. A model of the early evolution of karst aquifers in limestone in the dimensions of length and depth 240(3-4) [2001]: 206-224

Gallart, F. see Llorens, P. 240(1-2) [2000]: 131-144

Galle, S. see Esteves, M. 228(3-4) [2000]: 265-282

Gannon, B. see Cooper, D.M. 233(1-4) [2000]: 121-137

Gao Qianzhao. see Li Xiaoyan 228(3-4) [2000]: 165-173

Gash, J.H.C. see Zeng, N. 228(3-4) [2000]: 228-241

Gautam, M.R., Watanabe, K. and Saegusa, H. Runoff analysis in humid forest catchment with artificial neural network 235(1-2) [2000]: 117-136

Gelfan, A.N. see Kuchment, L.S. 240(1-2) [2000]: 1-22

Genereux, D. and Bandopadhyay, I. Numerical investigation of lake bed seepage patterns: effects of porous medium and lake properties 241(3-4) [2001]: 286-303

Georgakakos, K.P. Covariance propagation and updating in the context of real-time radar data assimilation by quantitative precipitation forecast models 239(1-4) [2000]: 115-129

Gerke, H.H. see Vogel, T. 238(1-2) [2000]: 78-89

Gholz, H.L. see Johnson, D.W. 235(3-4) [2000]: 183-204

Gil, P. see Aboal, J.R. 238(3-4) [2000]: 218-230

Gilkes, R.J. see McKissock, I. 231-232 [2000]: 323-332

Gilkes, R.J. see Harper, R.J. 231-232 [2000]: 371-383

Glazirin, G. see Aizen, V. 238(1-2) [2000]: 15-34

Goel, N.K., Kurothe, R.S., Mathur, B.S. and Vogel, R.M. A derived flood frequency distribution for correlated rainfall intensity and duration 228(1-2) [2000]: 56-67

Golding, B.W. Quantitative precipitation forecasting in the UK 239(1-4) [2000]: 286-305

Gomis-Yagues, V., Boluda-Botella, N. and Ruiz-Beviá, F. Gypsum precipitation/dissolution as an explanation of the decrease of sulphate concentration during seawater intrusion 228(1-2) [2000]: 48-55

Gong Jiadong. see Li Xiaoyan 228(3-4) [2000]: 165-173

Goovaerts, P. Geostatistical approaches for incorporating elevation into the spatial interpolation of rainfall 228(1-2) [2000]: 113-129

Govindaraju, R.S. see Barry, D.A. 235(3-4) [2000]: 289-298

Govindaraju, R.S. see Ramireddygari, S.R. 236(3-4) [2000]: 223-246

Grabczak, J. see Zuber, A. 233(1-4) [2000]: 174-188

Graillot, D. see Piatyszek, E. 230(3-4) [2000]: 258-268

Granger, R.J. Satellite-derived estimates of evapotranspiration in the Gediz Basin 229(1-2) [2000]: 70-76

Grassi, S. and Netti, R. Sea water intrusion and mercury pollution of some coastal aquifers in the province of Grosseto (southern Tuscany, Italy) 237(3-4) [2000]: 198-211

Gray, D.M. see Quinton, W.L. 237(1-2) [2000]: 113-125

Grecu, M. and Krajewski, W.F. A large-sample investigation of statistical procedures for radar-based short-term quantitative precipitation forecasting 239(1-4) [2000]: 69-84

Grecu, M. and Krajewski, W.F. Simulation study of the effects of model uncertainty in variational assimilation of radar data on rainfall forecasting 239(1-4) [2000]: 85-96

Green, George C.(editor). Hydrological research in South Africa 241(1-2) [2001]: 1-151

Griffioen, J., Hunter, K.S. and Van Cappellen, P. Kinetic modelling of microbially-driven redox chemistry of subsurface environments; coupling transport, microbial metabolism and geochemistry [discussion and reply] 228(3-4) [2000]: 285-291

Groen, J., Velstra, J. and Meesters, A.G.C.A. Salinization processes in paleowaters in coastal sediments of Suriname; evidence from d37Cl analysis and diffusion modelling 234(1-2) [2000]: 1-20

Grossenbacher, K. see Karasaki, K. 236(1-2) [2000]: 17-34

Guglielmi, Y., Bertrand, C., Compagnon, F., Follacci, J.P. and Mudry, J. Acquisition of water chemistry in a mobile fissured basement massif; its role in the hydrogeological knowledge of the La Clapière Landslide (Mercantour Massif, Southern Alps, France) 229(3-4) [2000]: 138-148

Gurung, A.B. see Jayawardena, A.W. 228(3-4) [2000]: 242-264

Gusev, Ye.M. and Nasonova, O.N. An experience of modelling heat and water exchange at the land surface on a large river basin scale 233(1-4) [2000]: 1-18

Haitjema, H.M. see Luther, K. 229(3-4) [2000]: 101-117

Hansen, B. see Thomsen, A. 236(3-4) [2000]: 252-258

Hanson, P.J. see Johnson, D.W. 235(3-4) [2000]: 183-204

Hardy, R.J., Bates, P.D. and Anderson, M.G. Modelling suspended sediment deposition on a fluvial floodplain using a two-dimensional dynamic finite element model 229(3-4) [2000]: 202-218

Harlin, J. see Liden, R. 238(3-4) [2000]: 231-247

Harman, J. see Ryan, M.C. 233(1-4) [2000]: 223-240

Harper, R.J., McKissock, I., Gilkes, R.J., Carter, D.J. and Blackwell, P.S. A multivariate framework for interpreting the effects of soil properties, soil management and landuse on water repellency 231-232 [2000]: 371-383

Harris, C. see Adams, S. 241(1-2) [2001]: 91-103

Hartge, K.H. see Bachmann, J. 231-232 [2000]: 66-75

Harvey, F.E. and Welker, J.M. Stable isotopic composition of precipitation in the semi-arid north-central portion of the US Great Plains 238(1-2) [2000]: 90-109

Hauns, M., Jeannin, P.Y. and Atteia, O. Dispersion, retardation and scale effect in tracer breakthrough curves in karst conduits 241(3-4) [2001]: 177-193

Haverkamp, R. see Bauters, T.W.J. 231-232 [2000]: 233-243

Hayashi, M. and van der Kamp, G. Simple equations to represent the volume-area-depth relations of shallow wetlands in small topographic depressions 237(1-2) [2000]: 74-85

Haydu, J.J. see Cisar, J.L. 231-232 [2000]: 352-358

Heise, E. see Damrath, U. 239(1-4) [2000]: 260-285

Henderson, R.D. see Ibbitt, R.P. 239(1-4) [2000]: 19-32

Hendrickx, J.M.H. see Jaramillo, D.F. 231-232 [2000]: 105-111

Hensley, M. see Bennie, A.T.P. 241(1-2) [2001]: 124-139

Hess, J.W. see Acheampong, S.Y. 233(1-4) [2000]: 37-53

Hiley, R.A. see Lukey, B.T. 235(1-2) [2000]: 44-62

Hogarth, W.L. see Barry, D.A. 235(3-4) [2000]: 289-298

Hohener, P. see Thullner, M. 235(1-2) [2000]: 104-116

Holmes, K.W., Chadwick, O.A. and Kyriakidis, P.C. Error in a USGS 30-meter digital elevation model and its impact on terrain modeling 233(1-4) [2000]: 154-173

Holzbecher, E., Simmons, C.T., Narayan, K.A. and Sharp, J.M., Jr. Mixed convection processes below a saline disposal basin [discussion and reply] 229(3-4) [2000]: 290-300

Horne, D.J. and McIntosh, J.C. Hydrophobic compounds in sands in New Zealand; extraction, characterisation and proposed mechanisms for repellency expression 231-232 [2000]: 35-46

Hoso, Y. see Shimojima, E. 234(3-4) [2000]: 142-161

Hsu, M.H., Chen, S.H. and Chang, T.J. Inundation simulation for urban drainage basin with storm sewer system 234(1-2) [2000]: 21-37

Hudak, P.F. Regional trends in nitrate content of Texas groundwater 228(1-2) [2000]: 37-47

Hudson, G.B. see James, E.R. 237(1-2) [2000]: 100-112

Hughes, D.A. Providing hydrological information and data analysis tools for the determination of ecological instream flow requirements for South African rivers 241(1-2) [2001]: 140-151

Hughson, D.L. and Dodge, F.T. The effect of cavity wall irregularities on seepage exclusion from horizontal cylindrical underground openings 228(3-4) [2000]: 206-214

Hungerford, R.D. see Robichaud, P.R. 231-232 [2000]: 207-219

Hunter, K.S. see Griffioen, J. 228(3-4) [2000]: 285-291

Hunter, K.S. and Van Cappellen, P. Kinetic modeling of microbially-driven redox chemistry of subsurface environments: coupling transport, microbial metabolism and geochemistry [erratum to reply to comment] 228(3-4) [2000]: 384

Ibbitt, R.P., Henderson, R.D., Copeland, J. and Wratt, D.S. Simulating mountain runoff with meso-scale weather model rainfall estimates; a New Zealand experience 239(1-4) [2000]: 19-32

Iida, T., Ueki, K., Tsukahara, H. and Kajihara, A. Point physical model of movement of ions through natural snow cover 235(3-4) [2000]: 170-182

Imrie, C.E., Durucan, S. and Korre, A. River flow prediction using artificial neural networks: generalisation beyond the calibration range 233(1-4) [2000]: 138-153

Iwatsubo, G. see Nakagawa, Y. 240(1-2) [2000]: 118-130

Izbicki, J.A., Radyk, J. and Michel, R.L. Water movement through a thick unsaturated zone underlying an intermittent stream in the western Mojave Desert, Southern California, USA 238(3-4) [2000]: 194-217

James, E.R., Manga, M., Rose, T.P. and Hudson, G.B. The use of temperature and the isotopes of O, H, C, and noble gases to determine the pattern and spatial extent of groundwater flow 237(1-2) [2000]: 100-112

Jaramillo, D.F., Dekker, Louis W., Ritsema, Coen J. and Hendrickx, J.M.H. Occurrence of soil water repellency in arid and humid climates 231-232 [2000]: 105-111

Jayawardena, A.W. and Gurung, A.B. Noise reduction and prediction of hydrometeorological time series: dynamical systems approach vs. stochastic approach 228(3-4) [2000]: 242-264

Jeannin, P.Y. see Hauns, M. 241(3-4) [2001]: 177-193

Jenkins, A. see Cooper, D.M. 233(1-4) [2000]: 121-137

Jenson, J.W. see Contractor, D.N. 229(3-4) [2000]: 232-254

Jhorar, R.K. see Kelleners, T.J. 234(3-4) [2000]: 249-263

Jimenez, M.S. see Aboal, J.R. 238(3-4) [2000]: 218-230

Johnson, D.W., Susfalk, R.B., Gholz, H.L. and Hanson, P.J. Simulated effects of temperature and precipitation change in several forest ecosystems 235(3-4) [2000]: 183-204

Joss, J. see Mecklenburg, S. 239(1-4) [2000]: 46-68

Juo, A.S.R. see Schwartz, R.C. 229(3-4) [2000]: 149-167

Kabala, Z.J.(reviewer). Field hydrogeology [book review] 234(3-4) [2000]: 264

Kacimov, A.R. Analytical solution for transient flow into a hemispherical auger hole 228(1-2) [2000]: 1-9

Kacimov, A.R. and Obnosov, Y.V. Steady water flow around parabolic cavities and through parabolic inclusions in unsaturated and saturated soils 238(1-2) [2000]: 65-77

Kacimov, A.R. Three-dimensional groundwater flow to a lake: an explicit analytical solution 240(1-2) [2000]: 80-89

Kajihara, A. see Iida, T. 235(3-4) [2000]: 170-182

Kamra, S.K. see Kelleners, T.J. 234(3-4) [2000]: 249-263

Karasaki, K., Freifeld, B., Cohen, A., Grossenbacher, K., Cook, P. and Vasco, D. A multidisciplinary fractured rock characterization study at Raymond field site, Raymond, CA 236(1-2) [2000]: 17-34

Kayam, Y. see Beyazgul, M. 229(1-2) [2000]: 19-26

Keenan, T.D. see Sun, X. 239(1-4) [2000]: 4-18

Kelleners, T.J., Kamra, S.K. and Jhorar, R.K. Prediction of long term drainage water salinity of pipe drains 234(3-4) [2000]: 249-263

Kendall, C. see Silva, S.R. 228(1-2) [2000]: 22-36

Khalil, M., Panu, U.S. and Lennox, W.C. Groups and neural networks based streamflow data infilling procedures 241(3-4) [2001]: 153-176

Kidron, G.J. and Pick, K. The limited role of localized convective storms in runoff production in the western Negev Desert 229(3-4) [2000]: 281-289

Kim, T., Lee, K.K., Ko, K.S. and Chang, H.W. Groundwater flow system inferred from hydraulic stresses and heads at an underground LPG storage cavern site 236(3-4) [2000]: 165-184

Kinzelbach, W. see Thullner, M. 235(1-2) [2000]: 104-116

Kinzelbach, W. see Kunstmann, H. 237(3-4) [2000]: 127-146

Kinzelbach, W. see Zoellmann, K. 240(3-4) [2001]: 187-205

Kinzelbach, W. see Stauffer, F. 240(3-4) [2001]: 264-275

Kite, Geoff W. and Droogers, Peter. Comparing evapotranspiration estimates from satellites, hydrological models and field data 229(1-2) [2000]: 1-2

Kite, Geoff W.(editor) and Droogers, Peter (editor). Comparing actual evapotranspiration from satellite data, hydrological models and field data 229(1-2) [2000]: 1-100

Kite, Geoff W. and Droogers, Peter. Comparing evapotranspiration estimates from satellites, hydrological models and field data 229(1-2) [2000]: 3-18

Kite, Geoff W. Using a basin-scale hydrological model to estimate crop transpiration and soil evaporation 229(1-2) [2000]: 59-69

Kjerfve, B. see Restrepo, J.D. 235(1-2) [2000]: 137-149

Knoop, J.M. see Renssen, H. 230(3-4) [2000]: 230-243

Ko, K.S. see Kim, T. 236(3-4) [2000]: 165-184

Koelliker, J.K. see Ramireddygari, S.R. 236(3-4) [2000]: 223-246

Koretsky, C. The significance of surface complexation reactions in hydrologic systems; a geochemist's perspective 230(3-4) [2000]: 127-171

Korre, A. see Imrie, C.E. 233(1-4) [2000]: 138-153

Kostka, S.J. Amelioration of water repellency in highly managed soils and the enhancement of turfgrass performance through the systematic application of surfactants 231-232 [2000]: 359-368

Kottegoda, N.T., Natale, L. and Raiteri, E. Statistical modelling of daily streamflows using rainfall input and curve number technique 234(3-4) [2000]: 170-186

Koutrouvelis, I.A. and Canavos, G.C. A comparison of moment-based methods of estimation for the log Pearson type 3 distribution 234(1-2) [2000]: 71-81

Krajewski, W.F. see Grecu, M. 239(1-4) [2000]: 69-84

Krajewski, W.F. see Grecu, M. 239(1-4) [2000]: 85-96

Kravits, C. see Mayo, A.L. 236(1-2) [2000]: 1-16

Kroll, C.N. see Douglas, E.M. 240(1-2) [2000]: 90-105

Krzysztofowicz, Roman (editor). see Collier, Chris G. 239(1-4) [2000]: 1-337

Kucera, J. see Cienciala, E. 236(1-2) [2000]: 109-120

Kuchment, L.S., Gelfan, A.N. and Demidov, V.N. A distributed model of runoff generation in the permafrost regions 240(1-2) [2000]: 1-22

Kumar, N. see Singh, P. 235(1-2) [2000]: 1-11

Kunstmann, H. and Kinzelbach, W. Computation of stochastic wellhead protection zones by combining the first-order second-moment method and Kolmogorov backward equation analysis 237(3-4) [2000]: 127-146

Kunstmann, H. see van Tonder, G.J. 241(1-2) [2001]: 70-90

Kurothe, R.S. see Goel, N.K. 228(1-2) [2000]: 56-67

Kyriakidis, P.C. see Holmes, K.W. 233(1-4) [2000]: 154-173

Labat, D., Ababou, R. and Mangin, A. Rainfall-runoff relations for karstic springs; Part I, Convolution and spectral analyses 238(3-4) [2000]: 123-148

Labat, D., Ababou, R. and Mangin, A. Rainfall-runoff relations for karstic springs; Part II, Continuous wavelet and discrete orthogonal multiresolution analyses 238(3-4) [2000]: 149-178

Lachassagne, P. see Negrel, P. 237(3-4) [2000]: 212-233

Lall, U. see Sharma, A. 239(1-4) [2000]: 240-248

Lammers, R.B. see Vorosmarty, C.J. 237(1-2) [2000]: 17-39

Lavabre, J. see Leviandier, T. 240(1-2) [2000]: 62-79

Lecce, S.A. Spatial variations in the timing of annual floods in the Southeastern United States 235(3-4) [2000]: 151-169

Lee, Jin-Yong and Lee, Kang-Kun. Use of hydrologic time series data for identification of recharge mechanism in a fractured bedrock aquifer system 229(3-4) [2000]: 190-201

Lee, K.K. see Kim, T. 236(3-4) [2000]: 165-184

Lee, Kang-Kun. see Lee, Jin-Yong 229(3-4) [2000]: 190-201

Legendre, P. see Yue, S. 228(3-4) [2000]: 283

Lennox, W.C. see Khalil, M. 241(3-4) [2001]: 153-176

Leppard, G.G. see Mavrocordatos, D. 237(3-4) [2000]: 234-247

Letey, J., Carrillo, M.L.K. and Pang, X.P. Approaches to characterize the degree of water repellency 231-232 [2000]: 61-65

Leveinen, J. Composite model with fractional flow dimensions for well test analysis in fractured rocks 234(3-4) [2000]: 116-141

Leviandier, T., Lavabre, J. and Arnaud, P. Rainfall contrast enhancing clustering processes and flood analysis 240(1-2) [2000]: 62-79

Lewis, D., Singer, M.J., Dahlgren, R.A. and Tate, K.W. Hydrology in a California oak woodland watershed; a 17-year study 240(1-2) [2000]: 106-117

Lewis, J. see Zhou, S.L. 236(3-4) [2000]: 153-164

Leydecker, A. and Melack, J.M. Estimating evaporation in seasonally snow-covered catchments in the Sierra Nevada, California 236(1-2) [2000]: 121-138

Li, L. see Barry, D.A. 235(3-4) [2000]: 289-298

Li Xiaoyan, Gong Jiadong, Gao Qianzhao and Wei Xinghu. Rainfall interception loss by pebble mulch in the semiarid region of China 228(3-4) [2000]: 165-173

Liden, R. and Harlin, J. Analysis of conceptual rainfall-runoff modelling performance in different climates 238(3-4) [2000]: 231-247

Lini, A. see Abbott, M.D. 228(1-2) [2000]: 101-112

Llorens, P. and Gallart, F. A simplified method for forest water storage capacity measurement 240(1-2) [2000]: 131-144

Loaiciga, H.A. see Aizen, V. 238(1-2) [2000]: 15-34

Lockington, D. see Barry, D.A. 235(3-4) [2000]: 289-298

Lods, G.F. see Mahler, B.J. 238(3-4) [2000]: 179-193

Lopez, E., Soto, B., Rubinos, D. and Diaz-Fierros, F. Flow-variation-paced sampling: a method for automatic sampling of streamflow during peak runoff periods 229(3-4) [2000]: 255-264

Loukas, A., Vasiliades, L. and Dalezios, N.R. Erratum: Food producing mechanisms identification in southern British Columbia, Canada 235(3-4) [2000]: 299-301

Low, R.G. see Price, M. 233(1-4) [2000]: 54-71

Lu, G., Zheng, C., Donahoe, R.J. and Lyons, W.Berry. Controlling processes in a CaCO3 precipitating stream in Huanglong Natural Scenic District, Sichuan, China 230(1-2) [2000]: 34-54

Luk, K.C. see Sharma, A. 239(1-4) [2000]: 240-248

Lukey, B.T., Sheffield, J., Bathurst, J.C., Hiley, R.A. and Mathys, N. Test of the SHETRAN technology for modelling the impact of reforestation on badlands runoff and sediment yield at Draix, France 235(1-2) [2000]: 44-62

Luther, K. and Haitjema, H.M. Approximate analytic solutions to 3D unconfined groundwater flow within regional 2D models 229(3-4) [2000]: 101-117

Lyons, W.Berry. see Lu, G. 230(1-2) [2000]: 34-54

Mackay, D.S. see FitzHugh, T.W. 236(1-2) [2000]: 35-53

MacQuarrie, K.T.B. see Ryan, M.C. 233(1-4) [2000]: 223-240

Madsen, H. Automatic calibration of a conceptual rainfall-runoff model using multiple objectives 235(3-4) [2000]: 276-288

Magesan, G.N. see Clothier, B.E. 231-232 [2000]: 255-264

Mahler, B.J., Personné, J.C., Lods, G.F. and Drogue, C. Transport of free and particulate-associated bacteria in karst 238(3-4) [2000]: 179-193

Malmer, A. see Cienciala, E. 236(1-2) [2000]: 109-120

Manga, M. see James, E.R. 237(1-2) [2000]: 100-112

Mangin, A. see Labat, D. 238(3-4) [2000]: 123-148

Mangin, A. see Labat, D. 238(3-4) [2000]: 149-178

Marini, L., Canepa, M., Cipolli, F., Ottonello, G. and Zuccolini, M.V. Use of stream sediment chemistry to predict trace element chemistry of groundwater; a case study from the Bisagno Valley (Genoa, Italy) 241(3-4) [2001]: 194-220

Marsh, P. see Quinton, W.L. 237(1-2) [2000]: 113-125

Massicotte, S. see Turcotte, R. 240(3-4) [2001]: 225-242

Mathur, B.S. see Goel, N.K. 228(1-2) [2000]: 56-67

Mathys, N. see Lukey, B.T. 235(1-2) [2000]: 44-62

Mavrocordatos, D., Mondi-Couture, C., Atteia, O., Leppard, G.G. and Perret, D. Formation of a distinct class of Fe-Ca(-Corg)-rich particles in a complex peat-karst system 237(3-4) [2000]: 234-247

Mayo, A.L., Petersen, E.C. and Kravits, C. Chemical evolution of coal mine drainage in a non-acid producing environment, Wasatch Plateau, Utah, USA 236(1-2) [2000]: 1-16

McBride, J.L. see Ebert, E.E. 239(1-4) [2000]: 179-202

McCann, C. see Price, M. 233(1-4) [2000]: 54-71

McInnes, K.J. see Schwartz, R.C. 229(3-4) [2000]: 149-167

McIntosh, J.C. see Horne, D.J. 231-232 [2000]: 35-46

McKenzie, R.S. and Craig, A.R. Evaluation of river losses from the Orange River using hydraulic modelling 241(1-2) [2001]: 62-69

McKissock, I., Walker, E.L., Gilkes, R.J. and Carter, D.J. The influence of clay type on reduction of water repellency by applied clays; a review of some West Australian work 231-232 [2000]: 323-332

McKissock, I. see Harper, R.J. 231-232 [2000]: 371-383

McLellan, J. see Ryan, M.C. 233(1-4) [2000]: 223-240

McMahon, T.A. see Zhou, S.L. 236(3-4) [2000]: 153-164

Mecklenburg, S., Joss, J. and Schmid, W. Improving the nowcasting of precipitation in an Alpine region with an enhanced radar echo tracking algorithm 239(1-4) [2000]: 46-68

Meesters, A.G.C.A. see Groen, J. 234(1-2) [2000]: 1-20

Mehta, S., Fryar, A.E., Brady, R.M. and Morin, R.H. Modeling regional salinization of the Ogallala Aquifer, Southern High Plains, TX, USA 238(1-2) [2000]: 44-64

Meijninger, W.M.L. and de Bruin, H.A.R. The sensible heat fluxes over irrigated areas in western Turkey determined with a large aperture scintillometer 229(1-2) [2000]: 42-49

Mein, R.G. see Sun, X. 239(1-4) [2000]: 4-18

Melack, J.M. see Leydecker, A. 236(1-2) [2000]: 121-138

Melone, F. see Corradini, C. 237(1-2) [2000]: 58-73

Meybeck, M. see Vorosmarty, C.J. 237(1-2) [2000]: 17-39

Michel, R.L. see Izbicki, J.A. 238(3-4) [2000]: 194-217

Michelsen, P.P. see Franco, C.M.M. 231-232 [2000]: 342-351

Mimikou, M.A., Baltas, E., Varanou, E. and Pantazis, K. Regional impacts of climate change on water resources quantity and quality indicators 234(1-2) [2000]: 95-109

Mitosek, H.T. On stochastic properties of daily river flow processes 228(3-4) [2000]: 188-205

Mittermaier, M.P. see Terblanche, D.E. 241(1-2) [2001]: 3-25

Moench, A.F. and Barlow, P.M. Aquifer response to stream-stage and recharge variations; I, Analytical step-response functions 230(3-4) [2000]: 192-210

Moench, A.F. see Barlow, P.M. 230(3-4) [2000]: 211-229

Moeremans, B. and Dautrebande, S. Soil moisture evaluation by means of multi-temporal ERS SAR PRI images and interferometric coherence 234(3-4) [2000]: 162-169

Moin, S.M.A. see Valeo, C. 228(1-2) [2000]: 68-81

Mondi-Couture, C. see Mavrocordatos, D. 237(3-4) [2000]: 234-247

Montanari, A. see Toth, E. 239(1-4) [2000]: 132-147

Morales, D. see Aboal, J.R. 238(3-4) [2000]: 218-230

Morin, R.H. see Mehta, S. 238(1-2) [2000]: 44-64

Mudry, J. see Guglielmi, Y. 229(3-4) [2000]: 138-148

Mukhopadhyay, A. see Paillet, F.L. 234(3-4) [2000]: 208-227

Nakagawa, Y. and Iwatsubo, G. Water chemistry in a number of mountainous streams of East Asia 240(1-2) [2000]: 118-130

Narayan, K.A. see Holzbecher, E. 229(3-4) [2000]: 290-300

Nasonova, O.N. see Gusev, Ye.M. 233(1-4) [2000]: 1-18

Natale, L. see Kottegoda, N.T. 234(3-4) [2000]: 170-186

Negrel, P. and Lachassagne, P. Geochemistry of the Maroni River (French

Guiana) during the low water stage; implications for water-rock interaction and groundwater characteristics 237(3-4) [2000]: 212-233

Netti, R. see Grassi, S. 237(3-4) [2000]: 198-211

Nieber, J.L. see Bauters, T.W.J. 231-232 [2000]: 233-243

Nieber, J.L., Bauters, T.W.J., Steenhuis, T.S. and Parlange, J.Y. Numerical simulation of experimental gravity-driven unstable flow in water repellent sand 231-232 [2000]: 295-307

Niwas, Sri. see de Lima, O.A.L. 235(1-2) [2000]: 12-26

Oades, J.M. see Franco, C.M.M. 231-232 [2000]: 47-58

Oades, J.M. see Franco, C.M.M. 231-232 [2000]: 342-351

Obnosov, Y.V. see Kacimov, A.R. 238(1-2) [2000]: 65-77

O'Connor, Kieran M. Obituary; J.E.(Eamonn) Nash (1927-2000) 234(3-4) [2000]: 113-115

O'Connor, Kieran M. see Xiong, L. 234(3-4) [2000]: 187-207

Ogden, F.L., Sharif, H.O., Senarath, S.U.S., Smith, J.A., Baeck, M.L. and Richardson, J.R. Hydrologic analysis of the Fort Collins, Colorado, flash flood of 1997 228(1-2) [2000]: 82-100

Oki, D.S. see Shapiro, A.M. 236(1-2) [2000]: 91-108

Oostindie, K. see Dekker, Louis W. 231-232 [2000]: 112-125

Oostrom, M. see Williams, M.D. 230(1-2) [2000]: 70-85

Osenbruck, K. see Zuber, A. 233(1-4) [2000]: 174-188

Ottonello, G. see Marini, L. 241(3-4) [2001]: 194-220

Ouarda, T.B.M.J. see Yue, S. 228(3-4) [2000]: 283

Ouyang, Y. and Zheng, C. Surficial processes and CO2 flux in soil ecosystem 234(1-2) [2000]: 54-70

Paillet, F.L., Senay, Y., Mukhopadhyay, A. and Szekely, F. Flowmetering of drainage wells in Kuwait City, Kuwait 234(3-4) [2000]: 208-227

Pajnowska, H. see Zuber, A. 233(1-4) [2000]: 174-188

Pang, X.P. see Letey, J. 231-232 [2000]: 61-65

Pantazis, K. see Mimikou, M.A. 234(1-2) [2000]: 95-109

Panu, U.S. see Khalil, M. 241(3-4) [2001]: 153-176

Parent, E. see Perreault, L. 235(3-4) [2000]: 221-241

Parent, E. see Perreault, L. 235(3-4) [2000]: 242-263

Parlange, J.Y. see Barry, D.A. 235(3-4) [2000]: 289-298

Parlange, J.Y. see Bauters, T.W.J. 231-232 [2000]: 233-243

Parlange, J.Y. see Bauters, T.W.J. 231-232 [2000]: 244-254

Parlange, J.Y. see Nieber, J.L. 231-232 [2000]: 295-307

Parlange, M.B. see Barry, D.A. 235(3-4) [2000]: 289-298

Pegram, G.G.S. see Terblanche, D.E. 241(1-2) [2001]: 3-25

Pegram, G.G.S. and Clothier, A.N. High resolution space-time modelling of rainfall; the "string of beads" model 241(1-2) [2001]: 26-41

Pereira, L.S. see Cameira, M.R. 236(1-2) [2000]: 78-90

Perica, S. see Seo, D.J. 239(1-4) [2000]: 203-229

Perkins, Samuel P. see Sophocleous, Marios A. 236(3-4) [2000]: 185-201

Perkins, Samuel P. see Ramireddygari, S.R. 236(3-4) [2000]: 223-246

Perreault, L., Bernier, J., Bobée, B. and Parent, E. Bayesian change-point analysis in hydrometeorological time series; Part 1, The normal model revisited 235(3-4) [2000]: 221-241

Perreault, L., Bernier, J., Bobée, B. and Parent, E. Bayesian change-point analysis in hydrometeorological time series; Part 2, Comparison of change-point models and forecasting 235(3-4) [2000]: 242-263

Perret, D. see Mavrocordatos, D. 237(3-4) [2000]: 234-247

Personne, J.C. see Mahler, B.J. 238(3-4) [2000]: 179-193

Petersen, E.C. see Mayo, A.L. 236(1-2) [2000]: 1-16

Piatyszek, E., Voignier, P. and Graillot, D. Fault detection on a sewer network by a combination of a Kalman filter and a binary sequential probability ratio test 230(3-4) [2000]: 258-268

Pick, K. see Kidron, G.J. 229(3-4) [2000]: 281-289

Pietersen, K. see Adams, S. 241(1-2) [2001]: 91-103

Prasad, R. see Putty, M.R.Y. 228(3-4) [2000]: 215-227

Prasad, R. see Putty, M.R.Y. 235(1-2) [2000]: 63-71

Price, M., Low, R.G. and McCann, C. Mechanisms of water storage and flow in the unsaturated zone of the Chalk Aquifer 233(1-4) [2000]: 54-71

Puech, C. see Colin, F. 236(3-4) [2000]: 139-152

Putty, M.R.Y. and Prasad, R. Understanding runoff processes using a watershed model; a case study in the Western Ghats in South India 228(3-4) [2000]: 215-227

Putty, M.R.Y. and Prasad, R. Runoff processes in headwater catchments; an experimental study in Western Ghats, South India 235(1-2) [2000]: 63-71

Pyles, M.R. see Beschta, R.L. 233(1-4) [2000]: 102-120

Qiu Yang, Fu Bojie, Wang Jun and Chen Liding. Soil moisture variation in relation to topography and land use in a hillslope catchment of the Loess Plateau, China 240(3-4) [2001]: 243-263

Quinton, W.L., Gray, D.M. and Marsh, P. Subsurface drainage from hummock-covered hillslopes in the Arctic tundra 237(1-2) [2000]: 113-125

Radyk, J. see Izbicki, J.A. 238(3-4) [2000]: 194-217

Raiteri, E. see Kottegoda, N.T. 234(3-4) [2000]: 170-186

Ramireddygari, S.R., Sophocleous, Marios A., Koelliker, J.K., Perkins, Samuel P. and Govindaraju, R.S. Development and application of a comprehensive simulation model to evaluate impacts of watershed structures and irrigation water use on streamflow and groundwater; the case of Wet Walnut Creek watershed, Kansas, USA 236(3-4) [2000]: 223-246

Rangarajan, R. and Athavale, R.N. Annual replenishable ground water potential of India; an estimate based on injected tritium studies 234(1-2) [2000]: 38-53

Raven, K. see Douglas, M. 235(1-2) [2000]: 88-103

Renssen, H. and Knoop, J.M. A global river routing network for use in hydrological modeling 230(3-4) [2000]: 230-243

Restrepo, J.D. and Kjerfve, B. Magdalena River; interannual variability (1975-1995) and revised water discharge and sediment load estimates 235(1-2) [2000]: 137-149

Revelli, R. and Ridolfi, L. Influence of heterogeneity on the flow in unconfined aquifers 228(1-2) [2000]: 150-159

Ribolzi, O., Andrieux, P., Valles, V., Bouzigues, R., Bariac, T. and Voltz, M. Contribution of groundwater and overland flows to storm flow generation in a cultivated Mediterranean catchment; quantification by natural chemical tracing 233(1-4) [2000]: 241-257

Richardson, J.R. see Ogden, F.L. 228(1-2) [2000]: 82-100

Richter, B. see Damrath, U. 239(1-4) [2000]: 260-285

Ridolfi, L. see Revelli, R. 228(1-2) [2000]: 150-159

Ritsema, Coen J.(editor) and Dekker, Louis W.(editor). Water repellency in soils 231-232 [2000]: 1-434

Ritsema, Coen J. see Jaramillo, D.F. 231-232 [2000]: 105-111

Ritsema, Coen J. see Dekker, Louis W. 231-232 [2000]: 112-125

Ritsema, Coen J. see Dekker, Louis W. 231-232 [2000]: 148-164

Ritsema, Coen J. see Bauters, T.W.J. 231-232 [2000]: 233-243

Ritsema, Coen J. see Wang, Z. 231-232 [2000]: 265-276

Ritsema, Coen J. and Dekker, Louis W. Preferential flow in water repellent sandy soils; principles and modeling implications 231-232 [2000]: 308-319

Robichaud, P.R. and Hungerford, R.D. Water repellency by laboratory burning of four northern Rocky Mountain forest soils 231-232 [2000]: 207-219

Robichaud, P.R. Fire effects on infiltration rates after prescribed fire in Northern Rocky Mountain forests, USA 231-232 [2000]: 220-229

Rose, T.P. see James, E.R. 237(1-2) [2000]: 100-112

Rousseau, A.N. see Turcotte, R. 240(3-4) [2001]: 225-242

Rubinos, D. see Lopez, E. 229(3-4) [2000]: 255-264

Ruiz-Bevia, F. see Gomis-Yagues, V. 228(1-2) [2000]: 48-55

Ryan, M.C., MacQuarrie, K.T.B., Harman, J. and McLellan, J. Field and modeling evidence for a "stagnant flow" zone in the upper meter of sandy phreatic aquifers 233(1-4) [2000]: 223-240

Saegusa, H. see Gautam, M.R. 235(1-2) [2000]: 117-136

Schaake, J.C. see Seo, D.J. 239(1-4) [2000]: 203-229

Schelde, K. see Thomsen, A. 236(3-4) [2000]: 252-258

Schmid, W. see Mecklenburg, S. 239(1-4) [2000]: 46-68

Schoonen, M.A.A. see Brown, C.J. 237(3-4) [2000]: 147-168

Schultz, G.A. see Schumann, A.H. 240(1-2) [2000]: 45-61

Schulze, R.E. see Smithers, J.C. 241(1-2) [2001]: 42-52

Schumann, A.H., Funke, R. and Schultz, G.A. Application of a geographic information system for conceptual rainfall-runoff modeling 240(1-2) [2000]: 45-61

Schwartz, R.C., Juo, A.S.R. and McInnes, K.J. Estimating parameters for a dual-porosity model to describe non-equilibrium, reactive transport in a fine-textured soil 229(3-4) [2000]: 149-167

Scott, D.F. Soil wettability in forested catchments in South Africa; as measured by different methods and as affected by vegetation cover and soil characteristics 231-232 [2000]: 87-104

Selaolo, E.T. see de Vries, J.J. 238(1-2) [2000]: 110-123

Senarath, S.U.S. see Ogden, F.L. 228(1-2) [2000]: 82-100

Senay, Y. see Paillet, F.L. 234(3-4) [2000]: 208-227

Senay, Y. see Szekely, F. 235(3-4) [2000]: 205-220

Seo, D.J., Perica, S., Welles, E. and Schaake, J.C. Simulation of precipitation fields from probabilistic quantitative precipitation forecast 239(1-4) [2000]: 203-229

Serrano, S.E. see Barry, D.A. 235(3-4) [2000]: 289-298

Sevink, J. see Tobon Marin, C. 237(1-2) [2000]: 40-57

Shakesby, R.A. see Ferreira, A.J.D. 231-232 [2000]: 165-177

Shakesby, R.A., Doerr, S.H. and Walsh, R.P.D. The erosional impact of soil hydrophobicity; current problems and future research directions 231-232 [2000]: 178-191

Shapiro, A.M. and Oki, D.S. Estimating formation properties from early-time oscillatory water levels in a pumped well 236(1-2) [2000]: 91-108

Sharif, H.O. see Ogden, F.L. 228(1-2) [2000]: 82-100

Sharma, A. Seasonal to interannual rainfall probabilistic forecasts for improved water supply management; Part 1, A strategy for system predictor identification 239(1-4) [2000]: 232-239

Sharma, A., Luk, K.C., Cordery, I. and Lall, U. Seasonal to interannual rainfall probabilistic forecasts for improved water supply management; Part 2, Predictor identification of quarterly rainfall using ocean-atmosphere information 239(1-4) [2000]: 240-248

Sharma, A. Seasonal to interannual rainfall probabilistic forecasts for improved water supply management; Part 3, A nonparametric probabilistic forecast model 239(1-4) [2000]: 249-258

Sharp, J.M., Jr. see Holzbecher, E. 229(3-4) [2000]: 290-300

Sheffield, J. see Lukey, B.T. 235(1-2) [2000]: 44-62

Sheldon, F. see Thoms, M.C. 228(1-2) [2000]: 10-21

Shimojima, E., Tanaka, T., Hoso, Y., Yoshioka, R. and Davis, G.B. Using short- and long-term transients in seepage discharge and chemistry in a mountain tunnel to quantify fracture and matrix water fluxes 234(3-4) [2000]: 142-161

Shuttleworth, J.W. see Zeng, N. 228(3-4) [2000]: 228-241

Sililo, O.T.N., Conrad, J.E., Döhse, T.E., Tredoux, G. and du Plessis, M.H. A procedure for deriving qualitative contaminant attenuation maps from land type data 241(1-2) [2001]: 104-109

Silva, S.R., Kendall, C., Wilkison, D.H., Ziegler, A.C., Chang, C.C.Y. and Avanzino, R.J. A new method for collection of nitrate from fresh water and the analysis of nitrogen and oxygen isotope ratios 228(1-2) [2000]: 22-36

Simmons, C.T. see Holzbecher, E. 229(3-4) [2000]: 290-300

Singer, M.J. see Lewis, D. 240(1-2) [2000]: 106-117

Singh, P., Kumar, N. and Arora, M. Degree-day factors for snow and ice for Dokriani Glacier, Garhwal Himalayas 235(1-2) [2000]: 1-11

Sivapalan, M. see Viney, N.R. 240(1-2) [2000]: 23-44

Skaugset, A.E. see Beschta, R.L. 233(1-4) [2000]: 102-120

Skeffington, R. see Cooper, D.M. 233(1-4) [2000]: 121-137

Smakhtin, V.U. Low flow hydrology; a review 240(3-4) [2001]: 147-186

Smettem, K.R.J. see Walton, R.S. 233(1-4) [2000]: 19-36

Smith, J.A. see Ogden, F.L. 228(1-2) [2000]: 82-100

Smith, K.T. and Austin, G.L. Nowcasting precipitation; a proposal for a way forward 239(1-4) [2000]: 34-45

Smith, R.E. see Corradini, C. 237(1-2) [2000]: 58-73

Smithers, J.C. and Schulze, R.E. A methodology for the estimation of short duration design storms in South Africa using a regional approach based on L-moments 241(1-2) [2001]: 42-52

Sophocleous, M. From safe yield to sustainable development of water resources; the Kansas experience 235(1-2) [2000]: 27-43

Sophocleous, Marios A. and Perkins, Samuel P. Methodology and application of combined watershed and ground-water models in Kansas 236(3-4) [2000]: 185-201

Sophocleous, Marios A. see Ramireddygari, S.R. 236(3-4) [2000]: 223-246

Soto, B. see Lopez, E. 229(3-4) [2000]: 255-264

Srinivas, V.V. and Srinivasan, K. Post-blackening approach for modeling dependent annual streamflows 230(1-2) [2000]: 86-126

Srinivas, V.V. and Srinivasan, K. Post-blackening approach for modeling periodic streamflows 241(3-4) [2001]: 221-269

Srinivasan, K. see Srinivas, V.V. 230(1-2) [2000]: 86-126

Srinivasan, K. see Srinivas, V.V. 241(3-4) [2001]: 221-269

Stauffer, F. and Kinzelbach, W. Cyclic hysteretic flow in porous medium column; model, experiment, and simulations 240(3-4) [2001]: 264-275

Steenhuis, T.S. see Bauters, T.W.J. 231-232 [2000]: 233-243

Steenhuis, T.S. see Bauters, T.W.J. 231-232 [2000]: 244-254

Steenhuis, T.S. see Nieber, J.L. 231-232 [2000]: 295-307

Steppeler, J. see Damrath, U. 239(1-4) [2000]: 260-285

Sun, X., Mein, R.G., Keenan, T.D. and Elliott, J.F. Flood estimation using radar and raingauge data 239(1-4) [2000]: 4-18

Surfleet, C.G. see Beschta, R.L. 233(1-4) [2000]: 102-120

Susfalk, R.B. see Johnson, D.W. 235(3-4) [2000]: 183-204

Swartzendruber, D. Derivation of a two-term infiltration equation from the Green-Ampt model 236(3-4) [2000]: 247-251

Szekely, F. see Paillet, F.L. 234(3-4) [2000]: 208-227

Szekely, F., Senay, Y., Al-Rashed, M., Al-Sumait, A. and Al-Awadi, E. Computer simulation of the hydraulic impact of water well fields in Kuwait 235(3-4) [2000]: 205-220

Tanaka, T. see Shimojima, E. 234(3-4) [2000]: 142-161

Tate, K.W. see Lewis, D. 240(1-2) [2000]: 106-117

Tate, M.E. see Franco, C.M.M. 231-232 [2000]: 47-58

Tawn, J. see Cameron, D. 228(1-2) [2000]: 130-149

Terblanche, D.E., Pegram, G.G.S. and Mittermaier, M.P. The development of weather radar as a research and operational tool for hydrology in South Africa 241(1-2) [2001]: 3-25

Thielen, J., Boudevillain, B. and Andrieu, H. A radar data based short-term rainfall prediction model for urban areas; a simulation using meso-scale meteorological modelling 239(1-4) [2000]: 97-114

Thomas, A.D. see Doerr, S.H. 231-232 [2000]: 134-147

Thoms, M.C. and Sheldon, F. Water resource development and hydrological change in a large dryland river; the Barwon-Darling River, Australia 228(1-2) [2000]: 10-21

Thomsen, A., Hansen, B. and Schelde, K. Application of TDR to water level measurement 236(3-4) [2000]: 252-258

Thullner, M., Höhener, P., Kinzelbach, W. and Zeyer, J. Validation of the dual pumping technique for level-determined groundwater sampling in a contaminated aquifer 235(1-2) [2000]: 104-116

Titus, R. see Adams, S. 241(1-2) [2001]: 91-103

Tobon Marin, C., Bouten, W. and Sevink, J. Gross rainfall and its partitioning into throughfall, stemflow and evaporation of intercepted water in four forest ecosystems in western Amazonia 237(1-2) [2000]: 40-57

Tobon Marin, C., Bouten, I.W. and Dekker, S. Forest floor water dynamics and root water uptake in four forest ecosystems in Northwest Amazonia 237(3-4) [2000]: 169-183

Toth, E., Brath, A. and Montanari, A. Comparison of short-term rainfall prediction models for real-time flood forecasting 239(1-4) [2000]: 132-147

Townsend, S.A. and Douglas, M.M. The effect of three fire regimes on stream water quality, water yield and export coefficients in a tropical savanna (northern Australia) 229(3-4) [2000]: 118-137

Tredoux, G. see Adams, S. 241(1-2) [2001]: 91-103

Tredoux, G. see Sililo, O.T.N. 241(1-2) [2001]: 104-109

Tsukahara, H. see Iida, T. 235(3-4) [2000]: 170-182

Turcotte, R., Fortin, J.P., Rousseau, A.N., Massicotte, S. and Villeneuve, J.P. Determination of the drainage structure of a watershed using a digital elevation model and a digital river and lake network 240(3-4) [2001]: 225-242

Ueki, K. see Iida, T. 235(3-4) [2000]: 170-182

Valeo, C. and Moin, S.M.A. Variable source area modelling in urbanizing watersheds 228(1-2) [2000]: 68-81

Valles, V. see Ribolzi, O. 233(1-4) [2000]: 241-257

Van Cappellen, P. see Griffioen, J. 228(3-4) [2000]: 285-291

Van Cappellen, P. see Hunter, K.S. 228(3-4) [2000]: 384

van Dam, J.C. and Feddes, R.A. Numerical simulation of infiltration, evaporation and shallow groundwater levels with the Richards equation 233(1-4) [2000]: 72-85

van der Kamp, G. see Hayashi, M. 237(1-2) [2000]: 74-85

van Genuchten, M.T. see Vogel, T. 238(1-2) [2000]: 78-89

Van Rooyen, J.A. see Basson, M.S. 241(1-2) [2001]: 53-61

van Tonder, G.J., Botha, J.F., Chiang, W.H., Kunstmann, H. and Xu, Y. Estimation of the sustainable yields of boreholes in fractured rock formations 241(1-2) [2001]: 70-90

Varanou, E. see Mimikou, M.A. 234(1-2) [2000]: 95-109

Vasco, D. see Karasaki, K. 236(1-2) [2000]: 17-34

Vasiliades, L. see Loukas, A. 235(3-4) [2000]: 299-301

Vauclin, M. see Esteves, M. 228(3-4) [2000]: 265-282

Velstra, J. see Groen, J. 234(1-2) [2000]: 1-20

Villeneuve, J.P. see Turcotte, R. 240(3-4) [2001]: 225-242

Viney, N.R., Sivapalan, M. and Deeley, D. A conceptual model of nutrient mobilisation and transport applicable at large catchment scales 240(1-2) [2000]: 23-44

Vivas, H.E. see Cisar, J.L. 231-232 [2000]: 352-358

Vogel, R.M. see Goel, N.K. 228(1-2) [2000]: 56-67

Vogel, R.M. see Douglas, E.M. 240(1-2) [2000]: 90-105

Vogel, T., Gerke, H.H., Zhang, R. and van Genuchten, M.T. Modeling flow and transport in a two-dimensional dual-permeability system with spatially variable hydraulic properties 238(1-2) [2000]: 78-89

Vogeler, I. see Clothier, B.E. 231-232 [2000]: 255-264

Voignier, P. see Piatyszek, E. 230(3-4) [2000]: 258-268

Volker, R.E. see Walton, R.S. 233(1-4) [2000]: 19-36

Voltz, M. see Ribolzi, O. 233(1-4) [2000]: 241-257

Vorosmarty, C.J., Fekete, B.M., Meybeck, M. and Lammers, R.B. Geomorphometric attributes of the global system of rivers at 30-minute spatial resolution 237(1-2) [2000]: 17-39

Walker, E.L. see McKissock, I. 231-232 [2000]: 323-332

Walsh, R.P.D. see Ferreira, A.J.D. 231-232 [2000]: 165-177

Walsh, R.P.D. see Shakesby, R.A. 231-232 [2000]: 178-191

Walton, A. see Zhou, S.L. 236(3-4) [2000]: 153-164

Walton, R.S., Volker, R.E., Bristow, K.L. and Smettem, K.R.J. Experimental examination of solute transport by surface runoff from low-angle slopes 233(1-4) [2000]: 19-36

Wang, Z., Wu, L. and Wu, Q.J. Water-entry value as an alternative indicator of soil water-repellency and wettability 231-232 [2000]: 76-83

Wang, Z., Wu, Q.J., Wu, L., Ritsema, Coen J., Dekker, Louis W. and Feyen, J. Effects of soil water repellency on infiltration rate and flow instability 231-232 [2000]: 265-276

Wang Jun. see Qiu Yang 240(3-4) [2001]: 243-263

Watanabe, K. see Gautam, M.R. 235(1-2) [2000]: 117-136

Wei Xinghu. see Li Xiaoyan 228(3-4) [2000]: 165-173

Weise, S.M. see Zuber, A. 233(1-4) [2000]: 174-188

Welker, J.M. see Harvey, F.E. 238(1-2) [2000]: 90-109

Welles, E. see Seo, D.J. 239(1-4) [2000]: 203-229

Westerhoff, P. and Anning, D. Concentrations and characteristics of organic carbon in surface water in Arizona; influence of urbanization 236(3-4) [2000]: 202-222

Wilkison, D.H. see Silva, S.R. 228(1-2) [2000]: 22-36

Willems, P. Compound intensity/duration/frequency-relationships of extreme precipitation for two seasons and two storm types 233(1-4) [2000]: 189-205

Williams, K.E. see Cisar, J.L. 231-232 [2000]: 352-358

Williams, M.D. and Oostrom, M. Oxygenation of anoxic water in a fluctuating water table system; an experimental and numerical study 230(1-2) [2000]: 70-85

Woo, M.K. see Carey, S.K. 233(1-4) [2000]: 206-222

Workman, S.R. see Barry, D.A. 235(3-4) [2000]: 289-298

Wotling, G., Bouvier, C., Danloux, J. and Fritsch, J.M. Regionalization of extreme precipitation distribution using the principal components of the topographical environment 233(1-4) [2000]: 86-101

Wratt, D.S. see Ibbitt, R.P. 239(1-4) [2000]: 19-32

Wu, L. see Wang, Z. 231-232 [2000]: 76-83

Wu, L. see Wang, Z. 231-232 [2000]: 265-276

Wu, Q.J. see Wang, Z. 231-232 [2000]: 76-83

Wu, Q.J. see Wang, Z. 231-232 [2000]: 265-276

Xiong, L. and O'Connor, Kieran M. Analysis of the response surface of the objective function by the optimum parameter curve; how good can the optimum parameter values be? 234(3-4) [2000]: 187-207

Xu, Y. see van Tonder, G.J. 241(1-2) [2001]: 70-90

Yang, Tao-Chang. see Yu, Pao-Shan 238(1-2) [2000]: 1-14

York, C.A. and Canaway, P.M. Water repellent soils as they occur on UK golf greens 231-232 [2000]: 126-133

Yoshioka, R. see Shimojima, E. 234(3-4) [2000]: 142-161

Yu, B. A systematic over-estimation of flows 233(1-4) [2000]: 258-262

Yu, Pao-Shan and Yang, Tao-Chang. Fuzzy multi-objective function for rainfall-runoff model calibration 238(1-2) [2000]: 1-14

Yue, S., Ouarda, T.B.M.J., Bobée, B., Legendre, P. and Bruneau, P. The Gumbel mixed model for flood frequency analysis [corrigendum] 228(3-4) [2000]: 283

Zeng, N., Shuttleworth, J.W. and Gash, J.H.C. Influence of temporal variability of rainfall on interception loss; Part I. Point analysis 228(3-4) [2000]: 228-241

Zeyer, J. see Thullner, M. 235(1-2) [2000]: 104-116

Zhang, R. see Vogel, T. 238(1-2) [2000]: 78-89

Zheng, C. see Lu, G. 230(1-2) [2000]: 34-54

Zheng, C. see Ouyang, Y. 234(1-2) [2000]: 54-70

Zhou, S.L., McMahon, T.A., Walton, A. and Lewis, J. Forecasting daily urban water demand; a case study of Melbourne 236(3-4) [2000]: 153-164

Ziegler, A.C. see Silva, S.R. 228(1-2) [2000]: 22-36

Zimmer, D. see Bordier, C. 228(3-4) [2000]: 174-187

Zimmer, D. see Bouarfa, S. 235(3-4) [2000]: 264-275

Zoellmann, K., Kinzelbach, W. and Fulda, C. Environmental tracer transport (3H and SF6) in the saturated and unsaturated zones and its use in nitrate pollution management 240(3-4) [2001]: 187-205

Zuber, A., Weise, S.M., Osenbrück, K., Pajnowska, H. and Grabczak, J. Age and recharge pattern of water in the Oligocene of the Mazovian Basin (Poland) as indicated by environmental tracers 233(1-4) [2000]: 174-188

Zuccolini, M.V. see Marini, L. 241(3-4) [2001]: 194-220

ELSEVIER

Journal of Hydrology 244 (2001) 223–241

Journal of Hydrology

www.elsevier.com/locate/jhydrol

Cumulative Subject Index Volumes 228–241

Aargau Switzerland
ground water 235(1-2) 72-87
pollution 235(1-2) 104-116
Acacia mangium
hydrology 236(1-2) 109-120
acid mine drainage
Utah, pollution 236(1-2) 1-16
acid rain
Japan, hydrology 235(3-4) 170-182
Wales, hydrology 233(1-4) 121-137
Advanced Very-High Resolution Radiometry *see* AVHRR
Africa *see also* East Africa; Southern Africa; West Africa
hydrogeology
Kalahari Desert 238(1-2) 110-123
Volta Basin 233(1-4) 37-53
hydrology
Lake Albert 230(1-2) 86-126
Orange River 241(1-2) 62-69
agrochemicals
hydrology 231-232, 308-319
air-water interface
Washington, pollution 230(1-2) 70-85
airborne methods *see* AVHRR
Alabama
geologic hazards 235(3-4) 151-169
Alachua County Florida
ecology 235(3-4) 183-204
Alaska
hydrology 239(1-4) 306-337
alcohols
hydrology 231-232, 61-65
algae
diatoms, China 230(1-2) 34-54
Algarve
hydrology 228(1-2) 113-129
alkali metals *see* potassium; rubidium; sodium
alkaline earth metals *see* calcium; magnesium
Alpes-de-Haute Provence France
environmental geology 235(1-2) 44-62
Alpes-Maritimes France
environmental geology 235(1-2) 44-62
hydrogeology 229(3-4) 138-148
Alps *see also* Italy
environmental geology, Maritime Alps 235(1-2) 44-62
hydrogeology 229(3-4) 138-148
hydrology, Swiss Alps 239(1-4) 46-68
Amazon Basin
hydrology 237(1-2) 40-57; 237(3-4) 169-183
Amazonas Colombia
hydrology 237(1-2) 40-57; 237(3-4) 169-183
AMD (acid mine drainage) *see* acid mine drainage
ammonium ion
hydrogeology 228(1-2) 22-36
pollution 230(1-2) 1-17
Anderson County Tennessee *see* Walker Branch watershed
Andes
hydrology 235(1-2) 137-149
Andisols
hydrology 231-232, 255-264
Andosols
hydrology 231-232, 66-75
Angiospermae *see also* Dicotyledoneae
Malaysia, hydrology 236(1-2) 109-120
Antilles *see* Greater Antilles
Apalachicola River
hydrology 228(3-4) 188-205
Apennines
hydrology 239(1-4) 132-147
Appalachians
hydrology 228(1-2) 56-67
aquifers *see also* aquitards; confined aquifers; leaky aquifers; recharge; shallow aquifers; water resources
Brazil, ground water 235(1-2) 12-26
Finland, ground water 234(3-4) 116-141
France, pollution 238(3-4) 179-193
Germany, ground water 237(3-4) 127-146
ground water 228(1-2) 1-9; 228(1-2) 48-55; 228(1-2) 150-159; 229(3-4) 101-117; 229(3-4) 290-300; 233(1-4) 223-240; 240(3-4) 206-224
Hawaii, ground water 236(1-2) 91-108
hydrogeology 235(3-4) 289-298; 240(1-2) 145-146; 241(3-4) 286-303
Italy, pollution 237(3-4) 198-211
Mariana Islands, ground water 229(3-4) 232-254
Micronesia, ground water 229(3-4) 232-254
pollution 228(3-4) 285-291; 228(3-4) 384; 230(1-2) 1-17
South Africa, ground water 241(1-2) 70-90
Switzerland, hydrogeology 237(3-4) 234-247
Texas
ground water 238(1-2) 44-64
pollution 228(1-2) 37-47
Washington, pollution 230(1-2) 70-85
aquitards
Kuwait, ground water 234(3-4) 208-227; 235(3-4) 205-220
Arabian Peninsula *see* Kuwait
Archean Shield (North America) *see* Canadian Shield
Arctic region
hydrology 237(1-2) 113-125
areal geology *see* bibliography
Ariege France
hydrogeology 238(3-4) 123-148; 238(3-4) 149-178
Arizona
hydrology 236(3-4) 202-222
Arkansas River
hydrogeology 235(1-2) 27-43
ARMA model
hydrology 228(3-4) 242-264; 239(1-4) 132-147
Arno River basin
hydrology 239(1-4) 132-147
artificial intelligence 230(3-4) 244-257; 235(1-2) 117-136; 239(1-4) 132-147

PII: S0022-1694(01)

Asia *see also* Arabian Peninsula; Far East; Indian Peninsula; Kyrgyzstan; Middle East
hydrology
Kolyma River basin 240(1-2) 1-22
Tien Shan 238(1-2) 15-34
Asia Minor *see* Turkey
Atlantic Coastal Plain *see also* Florida; Georgia; North Carolina; South Carolina
ground water 237(3-4) 147-168
Atlantic Ocean Islands *see* Canary Islands
atmosphere *see also* atmospheric precipitation
hydrogeology 234(1-2) 54-70
hydrology 233(1-4) 1-18
atmospheric precipitation *see also* rain
Alaska, hydrology 239(1-4) 306-337
Australia, hydrology 239(1-4) 179-202
Belgium, hydrology 233(1-4) 189-205
British Columbia, hydrology 235(3-4) 299-301
California, hydrology 236(1-2) 121-138; 240(1-2) 106-117
Canary Islands, hydrology 238(3-4) 218-230
Colombia, hydrology 231-232, 105-111
ecology 235(3-4) 183-204
England, hydrology 237(1-2) 1-16
Germany, hydrology 239(1-4) 260-285
hydrology 228(3-4) 228-241; 239(1-4) 1-337; 239(1-4) 34-45; 239(1-4) 85-96; 239(1-4) 115-129; 239(1-4) 203-229
Idaho, hydrology 237(1-2) 86-99
India, hydrology 235(1-2) 1-11
Ireland, hydrology 239(1-4) 148-161
Israel, hydrology 229(3-4) 281-289
Italy, hydrology 239(1-4) 97-114; 239(1-4) 132-147
Kyrgyzstan, hydrology 238(1-2) 15-34
Nebraska, hydrology 238(1-2) 90-109
New Mexico, hydrology 231-232, 105-111
Oceania, hydrology 233(1-4) 86-101
Oklahoma, hydrology 239(1-4) 69-84
Ontario, geologic hazards 229(3-4) 219-231
Puerto Rico, hydrology 239(1-4) 162-178
Quebec, geologic hazards 229(3-4) 219-231
Russian Federation, hydrology 240(1-2) 1-22
South Africa, hydrology 241(1-2) 26-41; 241(1-2) 110-123; 241(1-2) 124-139
Switzerland, hydrology 239(1-4) 46-68; 239(1-4) 260-285
Texas, hydrology 230(1-2) 55-69
United Kingdom, hydrology 239(1-4) 286-305
Vermont, hydrogeology 228(1-2) 101-112
Yukon Territory, hydrogeology 233(1-4) 206-222
attenuation
South Africa, pollution 241(1-2) 104-109
Austin Texas
hydrology 230(1-2) 55-69
Australasia *see* New Zealand
Australia *see also* New South Wales Australia; Northern Territory Australia; South Australia; Victoria Australia; Western Australia
environmental geology 231-232, 371-383
hydrology 239(1-4) 179-202
pollution 231-232, 384-395
soils 231-232, 47-58
automatic cartography *see* digital cartography
autoregression 230(3-4) 244-257; 234(1-2) 82-94; 239(1-4) 132-147
Aveyron France
hydrogeology 238(3-4) 149-178
AVHRR
Turkey, hydrology 229(1-2) 59-69; 229(1-2) 70-76
B-11/B-10
Germany, ground water 235(1-2) 72-87
Switzerland, ground water 235(1-2) 72-87
bacteria
coliform bacteria, France 238(3-4) 179-193
Baden-Wurttemberg Germany
ground water 235(1-2) 72-87
badlands
France, environmental geology 235(1-2) 44-62
Bahia Brazil *see* Reconcavo Basin
balance, energy *see* energy balance
Barton County Kansas
hydrogeology 236(3-4) 223-246
basalts
Hawaii, ground water 236(1-2) 91-108
basins
Ghana, hydrogeology 233(1-4) 37-53
ground water 229(3-4) 290-300
basins, drainage *see* drainage basins
Basses-Alpes *see* Alpes-de-Haute Provence France
Beaver County Utah
hydrology 241(3-4) 221-269
Beaver River
hydrology 241(3-4) 221-269
Bechuanaland *see* Botswana
bedload
Colombia, hydrology 235(1-2) 137-149
Belgium *see also* Meuse River
hydrology 233(1-4) 189-205
bibliography
hydrology 230(3-4) 127-171; 240(3-4) 147-186; 231-232, 409-412
biodegradation 231-232, 342-351
biography
hydrology 234(3-4) 113-115
biological degradation *see* biodegradation
bioremediation
environmental geology 231-232, 342-351
Birmingham England
hydrology 228(1-2) 130-149
bloating shale *see* shale
Bolivia
hydrology 238(3-4) 231-247
book reviews
ground water 234(1-2) 110-111
hydrogeology 234(3-4) 264; 240(1-2) 145-146
bootstrapping
hydrology 240(1-2) 90-105
Utah, hydrology 241(3-4) 221-269
Borneo *see* East Malaysia
boron
B-11/B-10
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
Botswana *see* Kalahari Desert
bottom features
hydrogeology 241(3-4) 286-303
bottom load *see* bedload
boulders
hydrology 230(3-4) 172-191
Boussinesq equation
ground water 235(3-4) 264-275
hydrogeology 235(3-4) 289-298
Brazil
ground water, Reconcavo Basin 235(1-2) 12-26
breakthrough curves
Switzerland, hydrology 241(3-4) 177-193

brines
Northwest Territories, hydrogeology 235(1-2) 88-103
British Columbia
hydrology 235(3-4) 299-301
British North Borneo *see* Sabah Malaysia
bromide ion
ground water 233(1-4) 223-240
hydrology 231-232, 255-264
pollution 233(1-4) 19-36
bromine
bromide ion
ground water 233(1-4) 223-240
hydrology 231-232, 255-264
pollution 233(1-4) 19-36
bubbles
ground water 233(1-4) 223-240
Bunter
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
C *see* carbon
C-13/C-12
New York, ground water 237(3-4) 147-168
Oregon, hydrogeology 237(1-2) 100-112
Utah, pollution 236(1-2) 1-16
C-14
Ghana, hydrogeology 233(1-4) 37-53
Ca *see* calcium
Cabarrus County North Carolina
hydrology 228(1-2) 56-67
calcareous sinter *see* travertine
calcite *see* calcium carbonate; travertine
calcium
French Guiana, hydrogeology 237(3-4) 212-233
Switzerland, hydrogeology 237(3-4) 234-247
Utah, pollution 236(1-2) 1-16
calcium carbonate
China, hydrogeology 230(1-2) 34-54
California
ground water, Madera County California 236(1-2) 17-34
hydrogeology, San Bernardino County California 238(3-4) 194-217
hydrology 231-232, 195-206
Yosemite National Park 236(1-2) 121-138
Yuba County California 240(1-2) 106-117
Canada *see* Eastern Canada; Western Canada
Canadian Shield
hydrogeology 235(1-2) 88-103
Canary Islands
hydrology, Tenerife 238(3-4) 218-230
canonical analysis
hydrology 240(3-4) 243-263
carbargilite *see* coal
carbon
C-13/C-12
New York 237(3-4) 147-168
Oregon 237(1-2) 100-112
Utah 236(1-2) 1-16
C-14, Ghana 233(1-4) 37-53
China, hydrogeology 230(1-2) 34-54
organic carbon
environmental geology 231-232, 342-351
Switzerland 237(3-4) 234-247
Turkey, hydrology 229(1-2) 77-86
carbon dioxide
hydrogeology 234(1-2) 54-70
Japan, hydrogeology 234(3-4) 142-161
New York, ground water 237(3-4) 147-168
Utah, pollution 236(1-2) 1-16
carbon-14 *see* C-14
carbonate ion
French Guiana, hydrogeology 237(3-4) 212-233
carbonate rocks *see also* chalk; limestone; travertine
Kuwait, ground water 235(3-4) 205-220
carbonates *see* calcite; vaterite
Caribbean region *see* West Indies
Carson County Texas
ground water 238(1-2) 44-64
carst *see* karst
cartography *see also* digital cartography
233(1-4) 154-173
geologic hazards 235(3-4) 151-169
pollution 241(1-2) 104-109
Cascade Range
hydrogeology 237(1-2) 100-112
hydrology 233(1-4) 102-120
Catalonia Spain
hydrology 240(1-2) 131-144
catchments *see* drainage basins
Causses
hydrogeology 238(3-4) 149-178
caves
ground water 240(3-4) 206-224
hydrogeology 240(1-2) 145-146
Cenozoic *see* Quaternary; Tertiary
Central Europe *see* Germany; Poland; Switzerland
chalk
England, ground water 233(1-4) 54-71
Chalk Aquifer
ground water 233(1-4) 54-71
channels *see also* streamflow; waterways
England, hydrology 229(3-4) 202-218
Europe, hydrology 234(3-4) 228-248
Northwest Territories, hydrology 237(1-2) 113-125
chartology *see* cartography
chemical analysis
hydrogeology 228(1-2) 22-36
chemical weathering
hydrology 230(3-4) 127-171
Chiang Mai Thailand
hydrology 240(1-2) 118-130
China *see also* Gansu China; Jiangxi China; Shaanxi China; Sichuan China
hydrology, Loess Plateau 240(3-4) 243-263
Chittenden County Vermont
hydrogeology 228(1-2) 101-112
chloride ion
France, hydrogeology 233(1-4) 241-257
French Guiana, hydrogeology 237(3-4) 212-233
Italy, pollution 237(3-4) 198-211
Northwest Territories, hydrogeology 235(1-2) 88-103
chlorine
chloride ion
France 233(1-4) 241-257
French Guiana 237(3-4) 212-233
Italy 237(3-4) 198-211
Northwest Territories 235(1-2) 88-103
Cl-37/Cl-35, Surinam 234(1-2) 1-20
Poland, ground water 233(1-4) 174-188
Chordata *see* Vertebrata
Churchill Falls
hydrology 235(3-4) 221-241; 235(3-4) 242-263
Cl *see* chlorine
Cl-37/Cl-35
Surinam, Quaternary 234(1-2) 1-20
clastic rocks *see* sandstone; shale
clastic sediments *see also* boulders; dust; gravel; loess; pebbles; sand
Kuwait, ground water 235(3-4) 205-220
clay mineralogy
South Africa, pollution 241(1-2) 104-109
clay minerals *see also* kaolinite; smectite

Australia, environmental geology 231-232, 371-383
Netherlands, hydrology 231-232, 148-164
South Australia, environmental geology 231-232, 333-341
climate change *see* global warming
climatic change *see* climate change
climatology, paleo- *see* paleoclimatology
clouds
hydrology 239(1-4) 85-96
CO2 *see* carbon dioxide
coal *see* longwall mining
coal mines
Utah, pollution 236(1-2) 1-16
coastal plains
New York, ground water 237(3-4) 147-168
coastlines *see* shorelines
coefficient of permeability *see* hydraulic conductivity
cokriging
Northern Territory Australia, hydrology 239(1-4) 4-18
coliform bacteria
France, pollution 238(3-4) 179-193
colloquia *see* symposia
Colombia
hydrology 231-232, 105-111
Amazonas Colombia 237(1-2) 40-57; 237(3-4) 169-183
Magdalena River 235(1-2) 137-149
Colorado
hydrology, Larimer County Colorado 228(1-2) 82-100
Commonwealth of Independent States *see* Kyrgyzstan; Russian Federation
computer programs *see also* SUTRA
England, pollution 230(1-2) 18-33
geomorphology 237(1-2) 17-39
Iowa, hydrogeology 230(3-4) 211-229
Kuwait, ground water 235(3-4) 205-220
Malaysia, hydrology 233(1-4) 258-262
Mariana Islands, ground water 229(3-4) 232-254
Massachusetts, hydrogeology 230(3-4) 211-229
Micronesia, ground water 229(3-4) 232-254
pollution 230(1-2) 1-17
Surinam, Quaternary 234(1-2) 1-20
conferences *see* symposia
confined aquifers
England, pollution 230(1-2) 18-33
hydrogeology 240(1-2) 80-89
Iowa, hydrogeology 230(3-4) 211-229
Massachusetts, hydrogeology 230(3-4) 211-229
Coniferales *see* Pinaceae
Coweeta Basin
ecology 235(3-4) 183-204
crystal growth
China, hydrogeology 230(1-2) 34-54
D/H
California, hydrogeology 238(3-4) 194-217
French Guiana, hydrogeology 237(3-4) 212-233
Germany, ground water 235(1-2) 72-87
Ghana, hydrogeology 233(1-4) 37-53
Nebraska, hydrology 238(1-2) 90-109
New York, ground water 237(3-4) 147-168
Northwest Territories, hydrogeology 235(1-2) 88-103
Poland, ground water 233(1-4) 174-188
South Africa, ground water 241(1-2) 91-103
Switzerland, ground water 235(1-2) 72-87
Utah, pollution 236(1-2) 1-16
Vermont, hydrogeology 228(1-2) 101-112
Da Nangou Basin
hydrology 240(3-4) 243-263
dam sites *see* dams
Dammam Formation
ground water 235(3-4) 205-220
damping *see* attenuation
dams
Kansas, hydrogeology 236(3-4) 223-246
Namibia, hydrology 241(1-2) 62-69
New South Wales Australia, hydrology 228(1-2) 10-21
South Africa, hydrology 241(1-2) 62-69
Dane County Wisconsin
pollution 236(1-2) 35-53
Danube River
hydrology 239(1-4) 260-285
Danube Valley
hydrology 239(1-4) 260-285
data bases
Germany, hydrology 239(1-4) 260-285
hydrology 231-232, 4-32
Switzerland, hydrology 239(1-4) 260-285
Turkey, hydrology 229(1-2) 3-18
depressions
Saskatchewan, hydrology 237(1-2) 74-85
Deschutes County Oregon
hydrogeology 237(1-2) 100-112
deuterium *see* D/H
Devonshire England
hydrology 229(3-4) 202-218
pollution 230(1-2) 18-33
diatoms
China, hydrogeology 230(1-2) 34-54
Dicotyledoneae *see* Quercus
diffusion 229(3-4) 149-167
digital cartography
geomorphology 237(1-2) 17-39
digital terrain models
233(1-4) 154-173
Belgium, geologic hazards 236(1-2) 54-77
hydrology 230(3-4) 230-243; 240(3-4) 225-242
Netherlands, geologic hazards 236(1-2) 54-77
Oceania, hydrology 233(1-4) 86-101
Ontario, hydrology 228(1-2) 68-81
Portugal, hydrology 228(1-2) 113-129
Turkey, hydrology 229(1-2) 59-69
digitization
hydrology 240(3-4) 225-242
disposal, waste *see* waste disposal
Donau River *see* Danube River
drainage basins *see also* drainage patterns
Belgium, hydrology 233(1-4) 189-205
California, hydrology 236(1-2) 121-138
China, hydrology 240(3-4) 243-263
Colombia, hydrology 235(1-2) 137-149
England
hydrology 233(1-4) 138-153; 237(1-2) 1-16
pollution 230(1-2) 18-33
France
environmental geology 235(1-2) 44-62
hydrogeology 233(1-4) 241-257
French Guiana, hydrogeology 237(3-4) 212-233
geomorphology 237(1-2) 17-39
Germany, hydrology 239(1-4) 260-285; 240(1-2) 45-61

Greece, hydrology 234(1-2) 95-109
hydrology 230(3-4) 230-243; 233(1-4) 1-18; 231-232, 4-32
India
ground water 234(1-2) 38-53
hydrogeology 228(3-4) 215-227
hydrology 235(1-2) 63-71
Italy
hydrogeology 241(3-4) 194-220
hydrology 234(3-4) 170-186; 239(1-4) 132-147; 241(3-4) 270-285
Japan, hydrology 235(1-2) 117-136
Kyrgyzstan, hydrology 238(1-2) 15-34
Middle East, hydrology 238(3-4) 231-247
New Zealand
environmental geology 229(3-4) 168-189
hydrogeology 239(1-4) 19-32
Northern Territory Australia, hydrology 229(3-4) 118-137; 239(1-4) 4-18
Oregon, hydrology 233(1-4) 102-120
pollution 230(1-2) 1-17
Portugal, hydrology 231-232, 165-177; 231-232, 178-191
Russian Federation, hydrology 240(1-2) 1-22
South Africa, hydrology 241(1-2) 110-123; 231-232, 87-104
Switzerland, hydrology 239(1-4) 260-285
Taiwan, hydrology 234(1-2) 21-37
Turkey, hydrology 229(1-2) 3-18; 229(1-2) 59-69; 229(1-2) 70-76
Wales, hydrology 233(1-4) 121-137
Western Australia, hydrology 240(1-2) 23-44
Yukon Territory, hydrogeology 233(1-4) 206-222
drainage patterns
France, pollution 236(3-4) 139-152
hydrology 240(3-4) 225-242
Italy, hydrology 238(1-2) 35-43
Dublin Ireland
hydrology 239(1-4) 148-161
Dunau River *see* Danube River
dunes
Netherlands, hydrology 231-232, 112-125
dust
India, hydrology 235(1-2) 1-11
Dutch Guiana *see* Surinam
East Africa *see* Sudan; Tanzania; Uganda
East African Lakes *see* Lake Albert
East Malaysia *see* Sabah Malaysia
Eastern Canada *see* Ontario; Quebec
Eastern Finland Province *see* Kuopio Finland
ecology *see also* wetlands
235(3-4) 183-204
Colombia, hydrology 237(1-2) 40-57
hydrology 230(3-4) 172-191; 240(3-4) 147-186
New South Wales Australia, hydrology 228(1-2) 10-21
New Zealand 229(3-4) 168-189
hydrology 237(3-4) 184-197
South Africa, hydrology 241(1-2) 140-151
economic geology *see* brines; coal; peat; shale; water resources
El Nino
Colombia, hydrology 235(1-2) 137-149
El Nino Southern Oscillation
New South Wales Australia, hydrology 239(1-4) 240-248
Elbe River
hydrology 228(3-4) 188-205
electrical methods *see* induced polarization; time domain reflectometry
electrical properties
Brazil, ground water 235(1-2) 12-26
electromagnetic methods
hydrology 239(1-4) 46-68; 239(1-4) 69-84
Emilia-Romagna Italy
hydrology 241(3-4) 270-285
encroachment (ground water) *see* salt-water intrusion
energy balance
Turkey, hydrology 229(1-2) 87-100
engineering geology *see* dams; geologic hazards; permafrost; reservoirs; rock mechanics; tunnels; underground installations; waste disposal; waterways
England *see also* Chalk Aquifer
hydrology 233(1-4) 138-153
Birmingham England 228(1-2) 130-149
Devonshire England 229(3-4) 202-218
Lancashire England 237(1-2) 1-16
pollution, Devonshire England 230(1-2) 18-33
ENSO *see* El Nino Southern Oscillation
entrainment *see* transport
environmental effects
Australia, pollution 231-232, 384-395
Greece, hydrology 234(1-2) 95-109
hydrology 231-232, 4-32
environmental geology *see* ecology; geologic hazards; pollution; waste disposal
ephemeral lakes
Saskatchewan, hydrology 237(1-2) 74-85
erosion *see also* fires
France, environmental geology 235(1-2) 44-62
hydrology 236(3-4) 252-258; 231-232, 1-434
Netherlands, hydrology 231-232, 148-164
Portugal, hydrology 231-232, 178-191
erosion features *see* badlands
ERS
hydrology 234(3-4) 162-169
Europe *see also* Alps; Central Europe; Southern Europe; Western Europe
environmental geology, Maritime Alps 235(1-2) 44-62
geologic hazards, Meuse River 236(1-2) 54-77
hydrogeology, Swiss Jura Mountains 237(3-4) 234-247
hydrology 238(3-4) 231-247
Danube River 239(1-4) 260-285
Danube Valley 239(1-4) 260-285
Elbe River 228(3-4) 188-205
Moselle River 239(1-4) 260-285; 240(1-2) 45-61
North Sea Coast 231-232, 112-125
Rhine River 234(3-4) 228-248; 239(1-4) 260-285
Swiss Jura Mountains 241(3-4) 177-193
European Remote Sensing satellites *see* ERS
extrapolation
hydrology 239(1-4) 34-45
Switzerland, hydrology 239(1-4) 46-68
Far East *see also* China; Japan; Korea; Malaysia; Taiwan; Thailand
hydrology, Sabah Malaysia 236(1-2) 109-120
fatty acids *see also* lipids
Australia, soils 231-232, 47-58
fault zones
Korea, ground water 236(3-4) 165-184
faults *see also* geologic hazards

Northwest Territories, hydrogeology 235(1-2) 88-103
Fe *see* iron
features, bottom *see* bottom features
features, lacustrine *see* lacustrine features
features, solution *see* solution features
fecal coliform bacteria *see* coliform bacteria
feeding ground *see* drainage basins
fine-grained materials
hydrology 229(3-4) 149-167
Finland
ground water, Kuopio Finland 234(3-4) 116-141
fires
California, hydrology 231-232, 195-206
hydrology 231-232, 4-32
Idaho, hydrology 231-232, 207-219; 231-232, 220-229
Montana, hydrology 231-232, 220-229
Northern Territory Australia, hydrology 229(3-4) 118-137
Portugal, hydrology 231-232, 134-147
South Africa, hydrology 231-232, 87-104
fish *see* Pisces
floodplains
Belgium, geologic hazards 236(1-2) 54-77
Colombia, hydrology 237(3-4) 169-183
England, hydrology 229(3-4) 202-218
Netherlands, geologic hazards 236(1-2) 54-77
floods *see also* waterways
Atlantic Coastal Plain 235(3-4) 151-169
Belgium, hydrology 233(1-4) 189-205
Colorado, hydrology 228(1-2) 82-100
England, hydrology 237(1-2) 1-16
geologic hazards 228(3-4) 283
Germany, hydrology 239(1-4) 260-285
Gulf Coastal Plain, geologic hazards 235(3-4) 151-169
hydrology 234(1-2) 71-81; 239(1-4) 1-337; 240(1-2) 62-79; 240(1-2) 90-105
India, hydrology 228(1-2) 56-67
Ireland, hydrology 239(1-4) 148-161
Israel, hydrology 229(3-4) 281-289
Italy, hydrology 238(1-2) 35-43; 239(1-4) 132-147; 241(3-4) 270-285
North Carolina, hydrology 228(1-2) 56-67
Northern Territory Australia, hydrology 239(1-4) 4-18
Ontario, geologic hazards 229(3-4) 219-231
Oregon, hydrology 233(1-4) 102-120
Quebec, geologic hazards 229(3-4) 219-231
South Africa, hydrology 241(1-2) 3-25
Switzerland, hydrology 239(1-4) 260-285
Taiwan, hydrology 234(1-2) 21-37
United Kingdom, hydrology 239(1-4) 286-305
Florida
ecology, Alachua County Florida 235(3-4) 183-204
geologic hazards 235(3-4) 151-169
hydrogeology 234(1-2) 82-94
hydrology, Apalachicola River 228(3-4) 188-205
fluvial features *see* floodplains; rivers
fluvial sedimentation
England, hydrology 229(3-4) 202-218
Europe, hydrology 234(3-4) 228-248
Northern Territory Australia, hydrology 229(3-4) 118-137
fluvial sediments *see* stream sediments
fluvial transport *see* stream transport
forests *see* rain forests
Formosa *see* Taiwan
Fort Collins flood 1997
hydrology 228(1-2) 82-100
fossil resins *see* resins
Fourier analysis
hydrology 241(1-2) 26-41
fractures
California, ground water 236(1-2) 17-34
France
environmental geology
Alpes-de-Haute Provence France 235(1-2) 44-62
Alpes-Maritimes France 235(1-2) 44-62
Laval Basin 235(1-2) 44-62
hydrogeology
Alpes-Maritimes France 229(3-4) 138-148
Ariege France 238(3-4) 123-148; 238(3-4) 149-178
Aveyron France 238(3-4) 149-178
Causses 238(3-4) 149-178
French Pyrenees 238(3-4) 123-148; 238(3-4) 149-178
Herault France 233(1-4) 241-257
hydrology, Seine-Saint-Denis France 230(3-4) 258-268
pollution
Gers France 236(3-4) 139-152
Montpellier France 238(3-4) 179-193
Free State South Africa
ground water 241(1-2) 70-90
hydrology 241(1-2) 26-41
French Guiana
hydrogeology 237(3-4) 212-233
French Polynesia *see* Society Islands
French Pyrenees
hydrogeology 238(3-4) 123-148; 238(3-4) 149-178
fungi
United Kingdom, soils 231-232, 126-133
Gansu China
hydrology, Lanzhou China 228(3-4) 165-173
Garhwal Himalayas
hydrology 235(1-2) 1-11
Gediz River basin
hydrology 229(1-2) 3-18; 229(1-2) 19-26; 229(1-2) 27-41; 229(1-2) 42-49; 229(1-2) 50-58; 229(1-2) 59-69; 229(1-2) 70-76; 229(1-2) 77-86; 229(1-2) 87-100
Genoa Italy
hydrogeology 241(3-4) 194-220
geochemical cycle
ecology 235(3-4) 183-204
Western Australia, hydrology 240(1-2) 23-44
geochronology *see* Holocene; Oligocene
geographic information systems
France, pollution 236(3-4) 139-152
Germany, hydrology 240(1-2) 45-61
Ontario
geologic hazards 229(3-4) 219-231
hydrology 228(1-2) 68-81
Quebec, geologic hazards 229(3-4) 219-231
South Africa, pollution 241(1-2) 104-109
Texas, pollution 228(1-2) 37-47
Wisconsin, pollution 236(1-2) 35-53
geologic hazards *see also* floods; hurricanes

France, hydrology 230(3-4) 258-268
geomorphology *see also* depressions; lacustrine features; sea-level changes; solution features; weathering; wetlands
China, hydrogeology 230(1-2) 34-54
geophysical logging *see* well-logging
geophysical methods
AVHRR, Turkey 229(1-2) 59-69; 229(1-2) 70-76
electromagnetic methods, hydrology 239(1-4) 46-68; 239(1-4) 69-84
infrared methods, hydrology 229(1-2) 87-100
seismic methods, ground water 236(1-2) 17-34
time domain reflectometry, hydrology 236(3-4) 252-258; 231-232, 255-264; 231-232, 308-319
geophysical surveys *see* electrical methods; electromagnetic methods; induced polarization; seismic methods
Georgia
geologic hazards 235(3-4) 151-169
geothermal surveys *see* heat flow
German Southwest Africa *see* Namibia
Germany *see also* Moselle River
ground water
Baden-Wurttemberg Germany 235(1-2) 72-87
Hesse Germany 237(3-4) 127-146
hydrology, Upper Rhine Valley 239(1-4) 260-285
pollution, Wetterau 240(3-4) 187-205
Gers France
pollution 236(3-4) 139-152
Ghana *see* Volta Basin
Ghats *see* Western Ghats
Gifu Japan
hydrology 240(1-2) 118-130
glaciers *see also* ice; moraines
Northwest Territories, hydrogeology 235(1-2) 88-103
global change *see* global warming
Global Positioning System
maps 233(1-4) 154-173
global warming
ecology 235(3-4) 183-204
Greece, hydrology 234(1-2) 95-109
hydrogeology 234(1-2) 54-70
Gold Coast (Ghana) *see* Ghana
government agencies *see also* survey organizations
Germany, hydrology 239(1-4) 260-285
NOAA, Alaska 239(1-4) 306-337
Switzerland, hydrology 239(1-4) 260-285
GPS tracking *see* Global Positioning System
Grand Falls (Labrador) *see* Churchill Falls
gravel
Switzerland, pollution 235(1-2) 104-116
gravel-bed streams
England, hydrology 229(3-4) 202-218
Gray County Texas
ground water 238(1-2) 44-64
Great Britain *see* England; Scotland; Wales
Great Lakes region *see* Ontario
Great Plains *see also* High Plains Aquifer; Kansas; Saskatchewan
ground water 238(1-2) 44-64
hydrology 238(1-2) 90-109
Great Smoky Mountains
ecology 235(3-4) 183-204
Greater Antilles *see* Puerto Rico
Greece
hydrology, Thessaly Greece 234(1-2) 95-109
Green Mountains
hydrogeology 228(1-2) 101-112
Green-Ampt model
hydrology 236(3-4) 247-251
Niger, hydrology 228(3-4) 265-282
Grosseto Italy
pollution 237(3-4) 198-211
ground water *see also* aquifers; aquitards; confined aquifers; hydrologic cycle; infiltration; leaky aquifers; MODFLOW; natural recharge; preferential flow; recharge; salt water; salt-water intrusion; shallow aquifers; springs; tracers; waste disposal; water resources; wellhead protection
234(1-2) 54-70; 238(1-2) 65-77; 240(3-4) 264-275
Florida 234(1-2) 82-94
India 228(3-4) 215-227
Surinam, Quaternary 234(1-2) 1-20
Utah, pollution 236(1-2) 1-16
ground-water replenishment *see* recharge
Guam
ground water 229(3-4) 232-254
Gulf Coastal Plain *see* Alabama; Florida; Mississippi
Gymnospermae *see* Coniferales
gypsum
ground water 228(1-2) 48-55
H-2 *see* deuterium
H-3 *see* tritium
halogens *see* bromine; chlorine
Hanford Site
pollution 230(1-2) 70-85
harmonic analysis *see* Fourier analysis
Harris County Texas *see* Houston Texas
Haryana India
hydrogeology 234(3-4) 249-263
Hawaii
ground water, Koolau Range 236(1-2) 91-108
hazards, geologic *see* geologic hazards
He-3
Oregon, hydrogeology 237(1-2) 100-112
He-4
Oregon, hydrogeology 237(1-2) 100-112
head, hydraulic *see* hydraulic head
heat flow
hydrology 233(1-4) 1-18
heating
California, hydrology 231-232, 195-206
hydrology 231-232, 233-243
Idaho, hydrology 231-232, 207-219
helium
He-3, Oregon 237(1-2) 100-112
He-4, Oregon 237(1-2) 100-112
Herault France *see also* Montpellier France
hydrogeology 233(1-4) 241-257
herbicides
Australia, pollution 231-232, 384-395
France, pollution 236(3-4) 139-152
Hesse Germany *see also* Wetterau
ground water 237(3-4) 127-146
Hg *see* mercury
High Plains *see* Great Plains
High Plains Aquifer
hydrogeology 235(1-2) 27-43
Himalayas
hydrology, Garhwal Himalayas 235(1-2) 1-11
Hokkaido
hydrology 240(1-2) 118-130
Holland *see* Netherlands
Holocene
Botswana 238(1-2) 110-123
Honolulu County Hawaii *see* Oahu
Honshu *see also* Gifu Japan; Shiga Japan; Tono Japan; Wakayama Japan
hydrology 235(3-4) 170-182

Houston Texas
hydrology 230(1-2) 55-69
Huangtu Plateau *see* Loess Plateau
hummocks
Northwest Territories, hydrology 237(1-2) 113-125
hurricanes
Ireland, hydrology 239(1-4) 148-161
hydraulic conductivity
Brazil, ground water 235(1-2) 12-26
California, ground water 236(1-2) 17-34
China, hydrogeology 230(1-2) 34-54
Colorado, hydrology 228(1-2) 82-100
England, hydrology 229(3-4) 202-218
France, pollution 238(3-4) 179-193
ground water 228(1-2) 1-9; 228(1-2) 150-159; 233(1-4) 72-85; 233(1-4) 223-240; 240(3-4) 206-224
Hawaii, ground water 236(1-2) 91-108
hydrogeology 228(3-4) 174-187; 231-232, 277-294
hydrology 230(3-4) 172-191; 237(1-2) 58-73; 238(1-2) 78-89; 231-232, 233-243
Idaho, hydrology 231-232, 220-229
Iowa, hydrogeology 230(3-4) 211-229
Japan, hydrology 235(1-2) 117-136
Korea, ground water 236(3-4) 165-184
Kuwait, ground water 234(3-4) 208-227; 235(3-4) 205-220
Massachusetts, hydrogeology 230(3-4) 211-229
Montana, hydrology 231-232, 220-229
Nevada, hydrology 228(3-4) 206-214
New Zealand, hydrogeology 239(1-4) 19-32
Northwest Territories, hydrology 237(1-2) 113-125
Portugal, hydrology 236(1-2) 78-90
South Africa, ground water 241(1-2) 70-90
Yukon Territory, hydrogeology 233(1-4) 206-222
hydraulic gradients *see* hydraulics
hydraulic head
Florida, hydrogeology 234(1-2) 82-94
ground water 228(1-2) 150-159
Korea, ground water 236(3-4) 165-184
hydraulics *see* waterways
hydrogen *see also* deuterium; tritium
D/H
California 238(3-4) 194-217
French Guiana 237(3-4) 212-233
Germany 235(1-2) 72-87
Ghana 233(1-4) 37-53
Nebraska 238(1-2) 90-109
New York 237(3-4) 147-168
Northwest Territories 235(1-2) 88-103
Poland 233(1-4) 174-188
South Africa 241(1-2) 91-103
Switzerland 235(1-2) 72-87
Utah 236(1-2) 1-16
Vermont 228(1-2) 101-112
hydrogeology *see* ground water; hydrology; springs
hydrologic cycle
Germany, hydrology 240(1-2) 45-61
hydrogeology 230(3-4) 192-210; 235(3-4) 289-298
hydrology 235(3-4) 276-288; 240(1-2) 62-79
Korea, hydrogeology 229(3-4) 190-201
New Zealand, environmental geology 229(3-4) 168-189
Ontario, hydrogeology 229(3-4) 265-280
hydrology *see also* atmosphere; atmospheric precipitation; floods; glaciers; ice; infiltration; karst hydrology; lakes; limnology; reservoirs; rivers; springs; TOPMODEL; tracers; water resources; waterways
228(3-4) 174-187; 228(3-4) 242-264; 229(3-4) 149-167; 230(3-4) 127-171; 230(3-4) 172-191; 234(3-4) 113-115; 234(3-4) 162-169; 234(3-4) 187-207; 236(3-4) 252-258; 238(1-2) 65-77; 238(1-2) 78-89; 240(3-4) 147-186; 240(3-4) 264-275; 241(3-4) 153-176; 231-232, 66-75; 231-232, 295-307; 231-232, 352-358; 231-232, 409-412
Botswana 238(1-2) 110-123
California 231-232, 195-206
China 228(3-4) 165-173; 240(3-4) 243-263
Colombia 235(1-2) 137-149; 237(1-2) 40-57; 237(3-4) 169-183
England 229(3-4) 202-218; 233(1-4) 138-153
pollution 230(1-2) 18-33
Europe 234(3-4) 228-248
Far East 240(1-2) 118-130
Florida 228(3-4) 188-205; 234(1-2) 82-94
France 230(3-4) 258-268
environmental geology 235(1-2) 44-62
India 228(3-4) 215-227
Iowa 230(3-4) 211-229
Italy 234(3-4) 170-186
Japan 235(3-4) 170-182
Malaysia 233(1-4) 258-262; 236(1-2) 109-120
Massachusetts 230(3-4) 211-229
Middle East 238(3-4) 231-247
Montana 230(1-2) 86-126
Nevada 228(3-4) 206-214
New Zealand 237(3-4) 184-197; 239(1-4) 19-32
Northern Territory Australia 229(3-4) 118-137
Northwest Territories 237(1-2) 113-125
Poland 228(3-4) 188-205
pollution 230(1-2) 1-17
Portugal 228(1-2) 113-129; 231-232, 134-147
Quebec 235(3-4) 221-241; 235(3-4) 242-263
Russian Federation 230(1-2) 86-126
Saskatchewan 237(1-2) 74-85
South Africa 241(1-2) 42-52
Spain 229(3-4) 255-264; 240(1-2) 131-144
Sudan 230(1-2) 86-126
Taiwan 238(1-2) 1-14
Turkey 229(1-2) 1-2; 229(1-2) 1-100; 229(1-2) 3-18; 229(1-2) 19-26; 229(1-2) 27-41; 229(1-2) 42-49; 229(1-2) 50-58; 229(1-2) 59-69; 229(1-2) 70-76; 229(1-2) 77-86; 229(1-2) 87-100
Uganda 230(1-2) 86-126
United Kingdom 228(1-2) 130-149
Utah 241(3-4) 221-269
Wales 233(1-4) 121-137
Western Australia 240(1-2) 23-44
Wisconsin, pollution 236(1-2) 35-53
hydrophobic materials
Australia
environmental geology 231-232, 371-383
pollution 231-232, 384-395
soils 231-232, 47-58
California, hydrology 231-232, 195-206
Colombia, hydrology 231-232, 105-111

environmental geology 231-232, 342-351
hydrogeology 231-232, 277-294
hydrology 231-232, 1-434; 231-232, 4-32; 231-232, 61-65; 231-232, 66-75; 231-232, 76-83; 231-232, 233-243; 231-232, 255-264; 231-232, 265-276; 231-232, 295-307; 231-232, 308-319; 231-232, 352-358; 231-232, 359-368; 231-232, 409-412
Idaho, hydrology 231-232, 207-219; 231-232, 220-229
Montana, hydrology 231-232, 220-229
Netherlands, hydrology 231-232, 112-125; 231-232, 148-164
New Mexico, hydrology 231-232, 105-111
New Zealand, soils 231-232, 35-46
Portugal, hydrology 231-232, 134-147; 231-232, 165-177; 231-232, 178-191
South Australia, environmental geology 231-232, 333-341
United Kingdom, soils 231-232, 126-133
Western Australia
environmental geology 231-232, 396-405
hydrology 231-232, 323-332
hydrothermal plumes *see* plumes
hysteresis
hydrogeology 240(3-4) 264-275
Iberian Peninsula *see* Portugal; Spain
ice
India, hydrology 235(1-2) 1-11
Kyrgyzstan, hydrology 238(1-2) 15-34
Idaho
hydrology 231-232, 207-219; 231-232, 220-229
Owyhee County Idaho 237(1-2) 86-99
igneous rocks
basalts, Hawaii 236(1-2) 91-108
inclusions
hydrogeology 238(1-2) 65-77
increment *see* recharge
India
ground water 234(1-2) 38-53
hydrogeology
Haryana India 234(3-4) 249-263
Western Ghats 228(3-4) 215-227
hydrology
Garhwal Himalayas 235(1-2) 1-11
Karnataka India 235(1-2) 63-71
Madhya Pradesh India 228(1-2) 56-67
Maharashtra India 228(1-2) 56-67
Narmada River 228(1-2) 56-67
Western Ghats 235(1-2) 63-71
induced polarization
Brazil, ground water 235(1-2) 12-26
inert gases *see* noble gases
infiltration
Australia, environmental geology 231-232, 371-383
California, hydrogeology 238(3-4) 194-217
Colombia, hydrology 231-232, 105-111
Colorado, hydrology 228(1-2) 82-100
France, hydrogeology 233(1-4) 241-257
ground water 233(1-4) 72-85
hydrogeology 231-232, 277-294
hydrology 236(3-4) 247-251; 237(1-2) 58-73; 231-232, 1-434; 231-232, 4-32; 231-232, 61-65; 231-232, 76-83; 231-232, 233-243; 231-232, 244-254; 231-232, 255-264; 231-232, 265-276; 231-232, 308-319; 231-232, 359-368
Idaho, hydrology 231-232, 207-219; 231-232, 220-229
India
ground water 234(1-2) 38-53
hydrology 228(1-2) 56-67; 235(1-2) 63-71
Japan
hydrogeology 234(3-4) 142-161
hydrology 235(1-2) 117-136
Korea, hydrogeology 229(3-4) 190-201
Mariana Islands, ground water 229(3-4) 232-254
Micronesia, ground water 229(3-4) 232-254
Montana, hydrology 231-232, 220-229
Netherlands, hydrology 231-232, 112-125; 231-232, 148-164
New Mexico, hydrology 231-232, 105-111
Niger, hydrology 228(3-4) 265-282
North Carolina, hydrology 228(1-2) 56-67
Poland, ground water 233(1-4) 174-188
pollution 233(1-4) 19-36
Portugal, hydrology 236(1-2) 78-90; 231-232, 165-177; 231-232, 178-191
South Africa, hydrology 231-232, 87-104
Vermont, hydrogeology 228(1-2) 101-112
Western Australia, hydrology 231-232, 323-332
Yukon Territory, hydrogeology 233(1-4) 206-222
information systems *see also* geographic information systems
hydrology 239(1-4) 232-239
infrared methods *see also* AVHRR
hydrology 229(1-2) 87-100
installations, underground *see* underground installations
interception
Canary Islands, hydrology 238(3-4) 218-230
China, hydrology 228(3-4) 165-173
Colombia, hydrology 237(1-2) 40-57
hydrology 228(3-4) 228-241
Spain, hydrology 240(1-2) 131-144
Turkey, hydrology 229(1-2) 77-86
interfacial tension *see* surface tension
interpolation
Saskatchewan, hydrology 237(1-2) 74-85
intrusion (ground water) *see* salt-water intrusion
Iowa
hydrogeology, Linn County Iowa 230(3-4) 211-229
Ireland
hydrology, Dublin Ireland 239(1-4) 148-161
iron
New York, ground water 237(3-4) 147-168
Switzerland, hydrogeology 237(3-4) 234-247
isotopes *see also* radioactive isotopes; stable isotopes
B-11/B-10
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
C-13/C-12
New York 237(3-4) 147-168
Oregon 237(1-2) 100-112
Utah 236(1-2) 1-16
C-14, Ghana 233(1-4) 37-53
Cl-37/Cl-35, Surinam 234(1-2) 1-20
D/H
California 238(3-4) 194-217
French Guiana 237(3-4) 212-233
Germany 235(1-2) 72-87
Ghana 233(1-4) 37-53
Nebraska 238(1-2) 90-109
New York 237(3-4) 147-168
Northwest Territories 235(1-2) 88-103
Poland 233(1-4) 174-188

South Africa 241(1-2) 91-103
Switzerland 235(1-2) 72-87
Utah 236(1-2) 1-16
Vermont 228(1-2) 101-112
He-3, Oregon 237(1-2) 100-112
He-4, Oregon 237(1-2) 100-112
N-15/N-14, hydrogeology 228(1-2) 22-36
O-18/O-16
California 238(3-4) 194-217
France 229(3-4) 138-148
French Guiana 237(3-4) 212-233
Germany 235(1-2) 72-87
Ghana 233(1-4) 37-53
hydrogeology 228(1-2) 22-36
Nebraska 238(1-2) 90-109
Northwest Territories 235(1-2) 88-103
Oregon 237(1-2) 100-112
Poland 233(1-4) 174-188
South Africa 241(1-2) 91-103
Switzerland 235(1-2) 72-87
Utah 236(1-2) 1-16
Vermont 228(1-2) 101-112
S-34/S-32
Germany 235(1-2) 72-87
New York 237(3-4) 147-168
Switzerland 235(1-2) 72-87
Utah 236(1-2) 1-16
Sr-87/Sr-86, French Guiana 237(3-4) 212-233
Israel
hydrology, Negev 229(3-4) 281-289
Italy *see also* Apennines
hydrogeology, Genoa Italy 241(3-4) 194-220
hydrology 239(1-4) 97-114
Arno River basin 239(1-4) 132-147
Emilia-Romagna Italy 241(3-4) 270-285
Liguria Italy 234(3-4) 170-186
Marches Italy 241(3-4) 270-285
Palermo Italy 238(1-2) 35-43
Rome Italy 234(3-4) 170-186
Veneto Italy 234(3-4) 170-186
pollution, Grosseto Italy 237(3-4) 198-211
Japan
hydrogeology, Wakayama Japan 234(3-4) 142-161
hydrology
Gifu Japan 240(1-2) 118-130
Hokkaido 240(1-2) 118-130
Honshu 235(3-4) 170-182
Kagawa Japan 240(1-2) 118-130
Shiga Japan 240(1-2) 118-130
Tono Japan 235(1-2) 117-136
Jefferson County Oregon
hydrogeology 237(1-2) 100-112
Jiangxi China
hydrology 240(1-2) 118-130
Jura Mountains *see* Swiss Jura Mountains
K *see* potassium
Kagawa Japan
hydrology 240(1-2) 118-130
Kalahari Desert
hydrogeology 238(1-2) 110-123
kalium *see* potassium
Kalman filters
France, hydrology 230(3-4) 258-268
Kangwon South Korea
hydrogeology 229(3-4) 190-201
Kansas *see also* Arkansas River; High Plains Aquifer
hydrogeology 236(3-4) 185-201
Barton County Kansas 236(3-4) 223-246
Lane County Kansas 236(3-4) 223-246
Ness County Kansas 236(3-4) 223-246
Rush County Kansas 236(3-4) 223-246
kaolinite
Western Australia, hydrology 231-232, 323-332
Karnataka India
hydrology 235(1-2) 63-71
Karroo Basin
ground water 241(1-2) 91-103
karst hydrology
France
hydrogeology 238(3-4) 123-148; 238(3-4) 149-178
pollution 238(3-4) 179-193
ground water 240(3-4) 206-224
hydrogeology 240(1-2) 145-146
Mariana Islands, ground water 229(3-4) 232-254
Micronesia, ground water 229(3-4) 232-254
Switzerland 241(3-4) 177-193
hydrogeology 237(3-4) 234-247
karst topography *see* karst
Keuper
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
Kirchhoff integral
hydrogeology 238(1-2) 65-77
Kirgizia *see* Kyrgyzstan
Kolyma River basin
hydrology 240(1-2) 1-22
Koolau Range
ground water 236(1-2) 91-108
Korea
ground water, South Korea 236(3-4) 165-184
hydrogeology, Kangwon South Korea 229(3-4) 190-201
kriging
hydrology 228(1-2) 113-129; 239(1-4) 34-45
Kuopio Finland
ground water 234(3-4) 116-141
Kuwait
ground water 234(3-4) 208-227; 235(3-4) 205-220
Kuwait Group
ground water 235(3-4) 205-220
KwaZulu-Natal South Africa
hydrology 241(1-2) 110-123
Kyrgyzstan *see* Tien Shan
La Nina
Colombia, hydrology 235(1-2) 137-149
lacustrine features *see* lakes
lacustrine sediments *see* lake sediments
Lake Albert
hydrology 230(1-2) 86-126
lake sediments
hydrogeology 240(1-2) 80-89; 241(3-4) 286-303
Lake Victoria
hydrology 230(1-2) 86-126
lakes *see* ephemeral lakes; limnology
Lancashire England
hydrology 237(1-2) 1-16
Lanchow China *see* Lanzhou China
land cover
South Africa, pollution 241(1-2) 104-109
land management
Australia, environmental geology 231-232, 371-383
California, hydrology 240(1-2) 106-117
France, environmental geology 235(1-2) 44-62
South Australia, environmental geology 231-232, 333-341
land use
Australia
environmental geology 231-232, 371-383
pollution 231-232, 384-395
Canary Islands, hydrology 238(3-4) 218-230
China, hydrology 240(3-4) 243-263
France, environmental geology 235(1-2) 44-62
hydrology 231-232, 352-358; 231-232, 359-368; 231-232, 409-412
India, ground water 234(1-2) 38-53
Kansas, hydrogeology 236(3-4) 185-201
pollution 233(1-4) 19-36
South Africa, hydrology 241(1-2) 124-139; 241(1-2) 140-151

South Australia, environmental geology 231-232, 333-341
Texas, pollution 228(1-2) 37-47
Turkey, hydrology 229(1-2) 3-18; 229(1-2) 27-41; 229(1-2) 59-69
United Kingdom, soils 231-232, 126-133
Western Australia, environmental geology 231-232, 396-405
landfills
hydrogeology 228(3-4) 174-187
Lane County Kansas
hydrogeology 236(3-4) 223-246
Lanzhou China
hydrology 228(3-4) 165-173
Laplace transformations
hydrogeology 230(3-4) 192-210
Larimer County Colorado
hydrology 228(1-2) 82-100
Latium Italy *see* Rome Italy
laughing gas *see* nitrous oxide
Laurentian Plateau *see* Canadian Shield
Laval Basin
environmental geology 235(1-2) 44-62
leaky aquifers *see also* aquitards
Iowa, hydrogeology 230(3-4) 211-229
Massachusetts, hydrogeology 230(3-4) 211-229
lehm *see* loess
Liguria Italy *see also* Genoa Italy
hydrology 234(3-4) 170-186
Limburg Netherlands *see* Maastricht Netherlands
limestone
ground water 240(3-4) 206-224
limnology
hydrogeology 240(1-2) 80-89; 241(3-4) 286-303
hydrology 240(3-4) 225-242
New Zealand, environmental geology 229(3-4) 168-189
Lincoln County Nebraska
hydrology 238(1-2) 90-109
linear programming
hydrology 238(1-2) 35-43
Linn County Iowa
hydrogeology 230(3-4) 211-229
lipids
New Zealand, soils 231-232, 35-46
loess
Germany, pollution 240(3-4) 187-205
Loess Plateau
hydrology 240(3-4) 243-263
Long Island
ground water 237(3-4) 147-168
longwall mining
Utah, pollution 236(1-2) 1-16
Lower Triassic *see* Bunter
Maas River *see* Meuse River
Maastricht Netherlands
geologic hazards 236(1-2) 54-77
Madera County California
ground water 236(1-2) 17-34
Madhya Pradesh India
hydrology 228(1-2) 56-67
Maestricht Netherlands *see* Maastricht Netherlands
Magdalena River
hydrology 235(1-2) 137-149
magnesium
French Guiana, hydrogeology 237(3-4) 212-233
Magothy Aquifer
ground water 237(3-4) 147-168
Maharashtra India
hydrology 228(1-2) 56-67
Malay Archipelago
hydrology, Sabah Malaysia 236(1-2) 109-120
Malaysia
hydrology 233(1-4) 258-262
Sabah Malaysia236(1-2) 109-120
Manicouagan Lake
hydrology 235(3-4) 221-241; 235(3-4) 242-263
Marches Italy
hydrology 241(3-4) 270-285
Mariana Islands
ground water, Guam 229(3-4) 232-254
Maritime Alps
environmental geology 235(1-2) 44-62
Massachusetts
hydrogeology, Worcester County Massachusetts 230(3-4) 211-229
Mazovian Basin
ground water 233(1-4) 174-188
Mediterranean region
hydrogeology 233(1-4) 241-257
hydrology 240(1-2) 131-144
meetings *see* symposia
Melbourne Australia
hydrology 236(3-4) 153-164
Menemen Turkey
hydrology 229(1-2) 3-18; 229(1-2) 19-26; 229(1-2) 27-41; 229(1-2) 42-49; 229(1-2) 50-58; 229(1-2) 59-69; 229(1-2) 87-100
mercury
Italy, pollution 237(3-4) 198-211
Mesozoic *see* Triassic
metals *see* alkali metals; alkaline earth metals; iron
metamorphic rocks
France, hydrogeology 229(3-4) 138-148
Meuse River
geologic hazards 236(1-2) 54-77
Mg *see* magnesium
Micronesia *see* Mariana Islands
Middle East *see* Israel; Turkey
Middle Triassic *see* Muschelkalk
mine drainage
Utah, pollution 236(1-2) 1-16
mineral resins *see* resins
mineral-water interface
hydrology 230(3-4) 127-171
Italy, pollution 237(3-4) 198-211
mines *see* coal mines
mining *see* underground mining
Mississippi
geologic hazards 235(3-4) 151-169
Missouri River
hydrology 230(1-2) 86-126
mitigation
California, hydrology 231-232, 195-206
hydrology 231-232, 1-434; 231-232, 4-32
South Australia, environmental geology 231-232, 333-341
Taiwan, hydrology 234(1-2) 21-37
MODFLOW
hydrogeology 241(3-4) 286-303
Kansas, hydrogeology 236(3-4) 185-201; 236(3-4) 223-246
Mojave Desert
hydrogeology 238(3-4) 194-217
monsoons
India, ground water 234(1-2) 38-53
Montana *see also* Missouri River
hydrology 231-232, 220-229
Montpellier France
pollution 238(3-4) 179-193
moraines
Kyrgyzstan, hydrology 238(1-2) 15-34
Ontario, hydrogeology 229(3-4) 265-280
Moselle River
hydrology 239(1-4) 260-285; 240(1-2) 45-61
Muschelkalk
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
N *see* nitrogen
N-15/N-14
hydrogeology 228(1-2) 22-36
Na *see* sodium
Namibia *see* Orange River
Narmada River
hydrology 228(1-2) 56-67
Nash, Eamonn
hydrology 234(3-4) 113-115
Nassau County New York
ground water 237(3-4) 147-168

Natal South Africa *see* KwaZulu-Natal South Africa
National Oceanic and Atmospheric Administration *see* NOAA
natrium *see* sodium
natural curiosities
China, hydrogeology 230(1-2) 34-54
natural recharge
South Africa, ground water 241(1-2) 91-103
NAVSTAR GPS *see* Global Positioning System
near-infrared spectra
Turkey, hydrology 229(1-2) 87-100
Nebraska
hydrology, Lincoln County Nebraska 238(1-2) 90-109
Negev
hydrology 229(3-4) 281-289
Neogene *see* Pliocene
Nerbudda River *see* Narmada River
Ness County Kansas
hydrogeology 236(3-4) 223-246
Netherlands *see also* North Sea Coast
geologic hazards, Maastricht Netherlands 236(1-2) 54-77
hydrology 231-232, 148-164
Netherlands Guiana *see* Surinam
Neuchatel Switzerland
hydrogeology 237(3-4) 234-247
neural networks
England, hydrology 233(1-4) 138-153
hydrology 241(3-4) 153-176
Italy, hydrology 239(1-4) 132-147
Japan, hydrology 235(1-2) 117-136
Oklahoma, hydrology 239(1-4) 69-84
Quebec, hydrology 230(3-4) 244-257
Nevada
ecology 235(3-4) 183-204
hydrology
Nevada Test Site 228(3-4) 206-214
Yucca Mountain228(3-4) 206-214
Nevada Test Site
hydrology 228(3-4) 206-214
New Mexico *see* Rio Grande Valley
New South Wales Australia
hydrology 228(1-2) 10-21
Sydney Australia 239(1-4) 240-248; 239(1-4) 249-258
New York
ground water
Nassau County New York 237(3-4) 147-168
Suffolk County New York 237(3-4) 147-168
New Zealand *see also* North Island; South Island
hydrology 237(3-4) 184-197
Niger
hydrology 228(3-4) 265-282
nitrogen
environmental geology 231-232, 342-351
N-15/N-14, hydrogeology 228(1-2) 22-36
Northern Territory Australia, hydrology 229(3-4) 118-137
pollution 230(1-2) 1-17
Wales, hydrology 233(1-4) 121-137
Western Australia, hydrology 240(1-2) 23-44
nitrous oxide
Wales, hydrology 233(1-4) 121-137
NOAA
Alaska, hydrology 239(1-4) 306-337
noble gases
Poland, ground water 233(1-4) 174-188
Noiraigue Basin
hydrogeology 237(3-4) 234-247
North America *see also* Appalachians; Canadian Shield; Great Lakes region; Great Plains; Rocky Mountains
hydrology, Rocky Mountains foreland 228(1-2) 82-100
North Borneo *see* Sabah Malaysia
North Carolina *see also* Great Smoky Mountains
geologic hazards 235(3-4) 151-169
hydrology
Cabarrus County North Carolina 228(1-2) 56-67
Rowan County North Carolina 228(1-2) 56-67
North Island
soils 231-232, 35-46
North Sea Coast
hydrology 231-232, 112-125
Northern Cape Province South Africa
hydrology 241(1-2) 62-69
Northern Territory Australia
hydrology 229(3-4) 118-137; 239(1-4) 4-18
Northwest Territories
hydrogeology, Yellowknife Northwest Territories 235(1-2) 88-103
hydrology 237(1-2) 113-125
nuclear waste *see* radioactive waste
Nye County Nevada *see* Yucca Mountain
O *see* oxygen
O-18/O-16
California, hydrogeology 238(3-4) 194-217
France, hydrogeology 229(3-4) 138-148
French Guiana, hydrogeology 237(3-4) 212-233
Germany, ground water 235(1-2) 72-87
Ghana, hydrogeology 233(1-4) 37-53
hydrogeology 228(1-2) 22-36
Nebraska, hydrology 238(1-2) 90-109
Northwest Territories, hydrogeology 235(1-2) 88-103
Oregon, hydrogeology 237(1-2) 100-112
Poland, ground water 233(1-4) 174-188
South Africa, ground water 241(1-2) 91-103
Switzerland, ground water 235(1-2) 72-87
Utah, pollution 236(1-2) 1-16
Vermont, hydrogeology 228(1-2) 101-112
Oahu *see* Koolau Range
Oceania *see* Micronesia; Polynesia
oceanography *see* sediments
Ogallala Aquifer
ground water 238(1-2) 44-64
Oklahoma
hydrology, Tulsa Oklahoma 239(1-4) 69-84
Oligocene
Poland 233(1-4) 174-188
Ontario
geologic hazards 229(3-4) 219-231
hydrogeology, Simcoe County Ontario 229(3-4) 265-280
hydrology 228(1-2) 68-81
Orange Free State South Africa *see* Free State South Africa
Orange River
hydrology 241(1-2) 62-69
Oregon *see also* Cascade Range hydrogeology
Deschutes County Oregon 237(1-2) 100-112
Jefferson County Oregon 237(1-2) 100-112
organic acids *see* fatty acids
organic carbon *see also* total organic carbon
environmental geology 231-232, 342-351

Switzerland, hydrogeology 237(3-4) 234-247
organic compounds *see also* alcohols; organic acids; total organic carbon; triazines
Australia, environmental geology 231-232, 371-383
California, hydrology 231-232, 195-206
Colombia, hydrology 231-232, 105-111
hydrology 231-232, 255-264
New Mexico, hydrology 231-232, 105-111
Switzerland, hydrogeology 237(3-4) 234-247
United Kingdom, soils 231-232, 126-133
organo-metallics
Switzerland, hydrogeology 237(3-4) 234-247
Owyhee County Idaho
hydrology 237(1-2) 86-99
Owyhee Mountains
hydrology 237(1-2) 86-99
oxygen
New York, ground water 237(3-4) 147-168
O-18/O-16
California 238(3-4) 194-217
France 229(3-4) 138-148
French Guiana 237(3-4) 212-233
Germany 235(1-2) 72-87
Ghana 233(1-4) 37-53
hydrogeology 228(1-2) 22-36
Nebraska 238(1-2) 90-109
Northwest Territories 235(1-2) 88-103
Oregon 237(1-2) 100-112
Poland 233(1-4) 174-188
South Africa 241(1-2) 91-103
Switzerland 235(1-2) 72-87
Utah 236(1-2) 1-16
Vermont 228(1-2) 101-112
Washington, pollution 230(1-2) 70-85
P *see* phosphorus
paleobotany *see* Angiospermae; fungi; Plantae
paleoclimatology
Botswana, hydrogeology 238(1-2) 110-123
Surinam, Quaternary 234(1-2) 1-20
Paleogene *see* Oligocene
paleontology *see* Pisces
Paleozoic *see* Permian
Palermo Italy
hydrology 238(1-2) 35-43
peat
Northwest Territories, hydrology 237(1-2) 113-125
Switzerland, hydrogeology 237(3-4) 234-247
pebbles
China, hydrology 228(3-4) 165-173
Peclet number
ground water 229(3-4) 290-300
pelite *see* shale
permafrost *see also* tundra
Russian Federation, hydrology 240(1-2) 1-22
Yukon Territory, hydrogeology 233(1-4) 206-222
permeability coefficient *see* hydraulic conductivity
Permian
Rotliegendes
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
pesticides *see* herbicides
petroleum products
Switzerland, pollution 235(1-2) 104-116
petrology *see* inclusions; metamorphic rocks
phosphorus
environmental geology 231-232, 342-351
New Zealand, environmental geology 229(3-4) 168-189
Northern Territory Australia, hydrology 229(3-4) 118-137
Western Australia, hydrology 240(1-2) 23-44
PHREEQC
Italy, pollution 237(3-4) 198-211
Pinus *see also* Pinus sylvestris
Canary Islands, hydrology 238(3-4) 218-230
Pinus sylvestris
Spain, hydrology 240(1-2) 131-144
Pisces
hydrology 230(3-4) 172-191
Plantae *see also* algae; Spermatophyta
Portugal, hydrology 231-232, 165-177
plaster stone *see* gypsum
Pleistocene
Wisconsinan, Surinam 234(1-2) 1-20
Pliocene
Ringold Formation, pollution 230(1-2) 70-85
plumes
Texas, ground water 238(1-2) 44-64
Poland
ground water 233(1-4) 174-188
hydrology, Warta River 228(3-4) 188-205
pollution *see also* acid mine drainage; agrochemicals; land use; petroleum products
228(3-4) 285-291; 228(3-4) 384; 230(1-2) 1-17
England 230(1-2) 18-33
France 236(3-4) 139-152; 238(3-4) 179-193
Germany 240(3-4) 187-205
ground water 237(3-4) 127-146
Greece, hydrology 234(1-2) 95-109
ground water 233(1-4) 223-240
hydrogeology 231-232, 277-294
Italy 237(3-4) 198-211
New York, ground water 237(3-4) 147-168
New Zealand 229(3-4) 168-189
South Africa 241(1-2) 104-109
Washington 230(1-2) 70-85
Wisconsin 236(1-2) 35-53
Polynesia *see* French Polynesia
Portugal
hydrology 236(1-2) 78-90; 231-232, 134-147; 231-232, 165-177; 231-232, 178-191
Algarve 228(1-2) 113-129
Postglacial *see* Holocene
potassium
French Guiana, hydrogeology 237(3-4) 212-233
Potter County Texas
ground water 238(1-2) 44-64
Precambrian Shield (North America) *see* Canadian Shield
preferential flow
Australia, pollution 231-232, 384-395
California
ground water 236(1-2) 17-34
hydrology 231-232, 195-206
England, ground water 233(1-4) 54-71
France, hydrogeology 229(3-4) 138-148; 233(1-4) 241-257
ground water 233(1-4) 72-85; 233(1-4) 223-240
hydrogeology 240(1-2) 80-89; 231-232, 277-294
hydrology 238(1-2) 78-89; 231-232, 4-32; 231-232, 61-65; 231-232, 66-75; 231-232, 76-83; 231-232, 233-243; 231-232, 244-254; 231-232, 255-264; 231-232, 265-276; 231-232, 295-307; 231-232, 308-319
Japan, hydrology 235(3-4) 170-182
Kuwait, ground water 234(3-4) 208-227
Netherlands, hydrology 231-232, 148-164

Northwest Territories
hydrogeology 235(1-2) 88-103
hydrology 237(1-2) 113-125
programs, computer *see* computer programs
psammite *see* sandstone
Puerto Rico
hydrology 239(1-4) 162-178
Pyrenees
hydrogeology, French Pyrenees 238(3-4) 123-148; 238(3-4) 149-178
hydrology, Spanish Pyrenees 240(1-2) 131-144
quantitative geomorphology 237(1-2) 17-39
Quaternary *see* Holocene; Pleistocene
Quebec
geologic hazards 229(3-4) 219-231
hydrology 230(3-4) 244-257
Manicouagan Lake 235(3-4) 221-241; 235(3-4) 242-263
Saint-Maurice County Quebec 235(3-4) 221-241; 235(3-4) 242-263
Quercus
California, hydrology 240(1-2) 106-117
quicksilver *see* mercury
radioactive isotopes *see* C-14; tritium
radioactive waste
Nevada, hydrology 228(3-4) 206-214
Northwest Territories, hydrogeology 235(1-2) 88-103
radiocarbon dating *see* C-14
rain *see* acid rain
rain forests
Colombia, hydrology 237(1-2) 40-57
rare gases *see* noble gases
Rayleigh number
ground water 229(3-4) 290-300
Rb *see* rubidium
Recent *see* Holocene
recharge *see also* hydrologic cycle; infiltration
Botswana, hydrogeology 238(1-2) 110-123
England, ground water 233(1-4) 54-71
Ghana, hydrogeology 233(1-4) 37-53
ground water 235(3-4) 264-275
Iowa, hydrogeology 230(3-4) 211-229
Korea, ground water 236(3-4) 165-184
Massachusetts, hydrogeology 230(3-4) 211-229
New York, ground water 237(3-4) 147-168
New Zealand, hydrogeology 239(1-4) 19-32
Oregon, hydrogeology 237(1-2) 100-112
South Africa, ground water 241(1-2) 91-103
Reconcavo Basin
ground water 235(1-2) 12-26
recurrence interval
Colombia, hydrology 235(1-2) 137-149
Oregon, hydrology 233(1-4) 102-120
Texas, hydrology 230(1-2) 55-69
Red River valley
hydrology 233(1-4) 1-18
regression analysis *see* autoregression
remediation *see* bioremediation
remote sensing *see also* AVHRR; ERS; infrared methods; SAR
England, hydrology 237(1-2) 1-16
South Africa, hydrology 241(1-2) 26-41
Turkey, hydrology 229(1-2) 1-2; 229(1-2) 1-100; 229(1-2) 3-18; 229(1-2) 77-86
reservoirs
Arizona, hydrology 236(3-4) 202-222
Quebec, hydrology 230(3-4) 244-257
South Africa, hydrogeology 241(1-2) 53-61
residence time
France, hydrogeology 229(3-4) 138-148
Ghana, hydrogeology 233(1-4) 37-53
resins
environmental geology 231-232, 342-351
Reynolds Creek
hydrology 237(1-2) 86-99
Rhine River
hydrology 234(3-4) 228-248; 239(1-4) 260-285
Rhodesia *see* Zimbabwe
Ringold Formation
pollution 230(1-2) 70-85
Rio Grande Valley
hydrology 231-232, 105-111
riparian environment
Northern Territory Australia, hydrology 229(3-4) 118-137
rivers *see* drainage basins
Roberts County Texas
ground water 238(1-2) 44-64
rock mechanics
California, ground water 236(1-2) 17-34
South Africa, ground water 241(1-2) 70-90
rock-water interface *see* water-rock interaction
Rocky Mountain foreland *see* Rocky Mountains foreland
Rocky Mountains
hydrology 231-232, 207-219; 231-232, 220-229
Rocky Mountains foreland
hydrology 228(1-2) 82-100
Rome Italy
hydrology 234(3-4) 170-186
Rotliegendes
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
Rowan County North Carolina
hydrology 228(1-2) 56-67
rubidium
French Guiana, hydrogeology 237(3-4) 212-233
Rush County Kansas
hydrogeology 236(3-4) 223-246
Russian Federation
hydrology 230(1-2) 86-126
Kolyma River basin 240(1-2) 1-22
S *see* sulfur
S-34/S-32
Germany, ground water 235(1-2) 72-87
New York, ground water 237(3-4) 147-168
Switzerland, ground water 235(1-2) 72-87
Utah, pollution 236(1-2) 1-16
s-triazines *see* triazines
Sabah Malaysia
hydrology 236(1-2) 109-120
Saint-Maurice County Quebec
hydrology 235(3-4) 221-241; 235(3-4) 242-263
saline water *see* salt water
salinization
Surinam, Quaternary 234(1-2) 1-20
Texas, ground water 238(1-2) 44-64
Salmon River
hydrology 228(3-4) 188-205
salt water
South Africa, ground water 241(1-2) 91-103
salt-water intrusion
ground water 228(1-2) 48-55
Italy, pollution 237(3-4) 198-211
San Bernardino County California
hydrogeology 238(3-4) 194-217
sand
Australia, soils 231-232, 47-58
ground water 233(1-4) 223-240
hydrology 231-232, 244-254;

231-232, 295-307; 231-232, 352-358
Netherlands, hydrology 231-232, 112-125
New Zealand, soils 231-232, 35-46
sand dunes *see* dunes
sandstone
Brazil, ground water 235(1-2) 12-26
Sao Sebastiao Formation
ground water 235(1-2) 12-26
SAR
Belgium, geologic hazards 236(1-2) 54-77
hydrology 234(3-4) 162-169
Netherlands, geologic hazards 236(1-2) 54-77
Saskatchewan
hydrology 237(1-2) 74-85
Saturated-Unsaturated TRAnsport *see* SUTRA
savannas
Northern Territory Australia, hydrology 229(3-4) 118-137
Scandinavia *see* Finland
Scotch pine *see* Pinus sylvestris
Scotland
hydrology 228(1-2) 130-149
Scots pine *see* Pinus sylvestris
sea-level changes *see* shorelines
sea-water intrusion *see* salt-water intrusion
sediment load *see* bedload
sediment transport *see* stream transport
sedimentary petrology *see* clay mineralogy; sediments; weathering
sedimentary rocks *see also* coal
carbonate rocks, Kuwait 235(3-4) 205-220
chalk, England 233(1-4) 54-71
Germany, ground water 235(1-2) 72-87
Japan, hydrogeology 234(3-4) 142-161
limestone, ground water 240(3-4) 206-224
sandstone, Brazil 235(1-2) 12-26
shale, Brazil 235(1-2) 12-26
Switzerland, ground water 235(1-2) 72-87
travertine, China 230(1-2) 34-54
sedimentation
fluvial sedimentation
England 229(3-4) 202-218
Europe 234(3-4) 228-248
Northern Territory Australia 229(3-4) 118-137
sediments *see also* bedload; peat; stream sediments
boulders, hydrology 230(3-4) 172-191
California, hydrogeology 238(3-4) 194-217
clastic sediments, Kuwait 235(3-4) 205-220
dust, India 235(1-2) 1-11
gravel, Switzerland 235(1-2) 104-116
hydrogeology 240(1-2) 80-89; 241(3-4) 286-303
loess, Germany 240(3-4) 187-205
New York, ground water 237(3-4) 147-168
pebbles, China 228(3-4) 165-173
sand
Australia 231-232, 47-58
ground water 233(1-4) 223-240
hydrology 231-232, 244-254; 231-232, 295-307; 231-232, 352-358
Netherlands 231-232, 112-125
New Zealand 231-232, 35-46
Seine-Saint-Denis France
hydrology 230(3-4) 258-268
seismic methods
ground water 236(1-2) 17-34
sensing, remote *see* remote sensing
Sevier County Utah
pollution 236(1-2) 1-16
Seymour Aquifer
pollution 228(1-2) 37-47
Shaanxi China
hydrology 240(3-4) 243-263
shale
Brazil, ground water 235(1-2) 12-26
shallow aquifers
Ghana, hydrogeology 233(1-4) 37-53
ground water 233(1-4) 72-85
Switzerland, pollution 235(1-2) 104-116
sheet silicates *see* clay minerals
SHETRAN
environmental geology 235(1-2) 44-62
pollution 230(1-2) 1-17; 230(1-2) 18-33
Shiga Japan
hydrology 240(1-2) 118-130
Shikoku *see* Kagawa Japan
shorelines
Surinam, Quaternary 234(1-2) 1-20
Sichuan China
hydrogeology 230(1-2) 34-54
Sicily Italy *see* Palermo Italy
Sierra Nevada
ground water 236(1-2) 17-34
hydrology 236(1-2) 121-138; 240(1-2) 106-117
silicates *see* sheet silicates
Simcoe County Ontario
hydrogeology 229(3-4) 265-280
slope stability
France, hydrogeology 229(3-4) 138-148
SLURP model
hydrology 229(1-2) 3-18; 229(1-2) 59-69
smectite
Western Australia, hydrology 231-232, 323-332
Smokies *see* Great Smoky Mountains
Society Islands *see* Tahiti
sodium
French Guiana, hydrogeology 237(3-4) 212-233
software *see* computer programs
soil-water balance
hydrology 229(3-4) 149-167; 231-232, 61-65
soils *see also* clay mineralogy; Green-Ampt model; infiltration; land use; tillage; weathering
Andisols, hydrology 231-232, 255-264
Andosols, hydrology 231-232, 66-75
Australia 231-232, 47-58
California, hydrology 231-232, 195-206
China, hydrology 228(3-4) 165-173
ecology 235(3-4) 183-204
England, pollution 230(1-2) 18-33
environmental geology 231-232, 342-351
hydrogeology 234(1-2) 54-70; 238(1-2) 65-77; 240(3-4) 264-275
hydrology 233(1-4) 1-18; 234(3-4) 162-169; 235(3-4) 276-288; 236(3-4) 252-258; 238(1-2) 78-89; 231-232, 295-307
Idaho, hydrology 237(1-2) 86-99
India, hydrogeology 228(3-4) 215-227
New Zealand 231-232, 35-46
environmental geology 229(3-4) 168-189
pollution 230(1-2) 1-17
Portugal, hydrology 231-232, 134-147
South Africa, hydrology 241(1-2) 110-123
Turkey, hydrology 229(1-2) 19-26; 229(1-2) 42-49; 229(1-2) 50-58
Ultisols, hydrology 229(3-4) 149-167; 231-232, 66-75
Wisconsin, pollution 236(1-2) 35-53

solute transport
Germany, ground water 237(3-4) 127-146
ground water 233(1-4) 223-240
hydrogeology 231-232, 277-294
hydrology 229(3-4) 149-167; 238(1-2) 78-89; 231-232, 233-243; 231-232, 255-264; 231-232, 308-319
pollution 233(1-4) 19-36
solution features *see* caves; karst
solution phenomena *see* solution features
solvents
New Zealand, soils 231-232, 35-46
Switzerland, pollution 235(1-2) 104-116
South Africa
ground water
Free State South Africa 241(1-2) 70-90
Karroo Basin 241(1-2) 91-103
Sutherland South Africa 241(1-2) 91-103
hydrogeology 241(1-2) 1-151; 241(1-2) 53-61
hydrology 241(1-2) 3-25; 241(1-2) 42-52; 241(1-2) 124-139; 241(1-2) 140-151; 231-232, 87-104
Free State South Africa 241(1-2) 26-41
KwaZulu-Natal South Africa 241(1-2) 110-123
Northern Cape Province South Africa 241(1-2) 62-69
pollution 241(1-2) 104-109
South America *see also* Andes; Bolivia; Brazil; Colombia; French Guiana; Surinam
hydrology, Amazon Basin 237(1-2) 40-57; 237(3-4) 169-183
South Australia
environmental geology 231-232, 333-341
South Carolina
geologic hazards 235(3-4) 151-169
South Island
environmental geology 229(3-4) 168-189
hydrogeology 239(1-4) 19-32
South Korea *see also* Kangwon South Korea
ground water 236(3-4) 165-184
South Massif *see* Causses
South-West Africa *see* Namibia
Southern Africa *see* Botswana; Namibia; Orange River; South Africa; Zimbabwe
Southern Europe *see* Greece; Iberian Peninsula; Italy
Southern Oscillation
Colombia, hydrology 235(1-2) 137-149
Southern Rhodesia *see* Zimbabwe
Spain
hydrology 229(3-4) 255-264
Catalonia Spain 240(1-2) 131-144
Spanish Pyrenees240(1-2) 131-144
Spanish Pyrenees
hydrology 240(1-2) 131-144
spectra *see* near-infrared spectra
Spermatophyta
Angiospermae, Malaysia 236(1-2) 109-120
Pinus, Canary Islands 238(3-4) 218-230
Pinus sylvestris, Spain 240(1-2) 131-144
Quercus, California 240(1-2) 106-117
springs
China 230(1-2) 34-54
France 229(3-4) 138-148; 238(3-4) 123-148; 238(3-4) 149-178
Italy 241(3-4) 194-220
Oregon 237(1-2) 100-112
Switzerland 237(3-4) 234-247
Sr-87/Sr-86
French Guiana, hydrogeology 237(3-4) 212-233
stable isotopes *see* B-11/B-10; C-13/C-12; Cl-37/Cl-35; D/H; deuterium; He-3; He-4; N-15/N-14; O-18/O-16; S-34/S-32
statistical analysis *see* bootstrapping; canonical analysis; cokriging; kriging; regression analysis
stormwater
Belgium, hydrology 233(1-4) 189-205
France, hydrogeology 233(1-4) 241-257
Taiwan, hydrology 234(1-2) 21-37
stratigraphy *see* Holocene; Oligocene
stream flow *see* streamflow
stream sediments
Colombia, hydrology 235(1-2) 137-149
Europe, hydrology 234(3-4) 228-248
Italy, hydrogeology 241(3-4) 194-220
stream transport *see also* fluvial sedimentation
England, pollution 230(1-2) 18-33
France, pollution 238(3-4) 179-193
pollution 230(1-2) 1-17
Wisconsin, pollution 236(1-2) 35-53
streamflow
California
hydrogeology 238(3-4) 194-217
hydrology 240(1-2) 106-117
England
hydrology 233(1-4) 138-153
pollution 230(1-2) 18-33
Florida, hydrology 228(3-4) 188-205
France, environmental geology 235(1-2) 44-62
hydrology 230(3-4) 172-191; 230(3-4) 230-243; 233(1-4) 1-18; 234(1-2) 71-81; 240(1-2) 90-105; 240(3-4) 147-186; 241(3-4) 153-176
Italy, hydrology 234(3-4) 170-186
Kansas, hydrogeology 235(1-2) 27-43; 236(3-4) 223-246
Malaysia, hydrology 233(1-4) 258-262
Montana, hydrology 230(1-2) 86-126
New South Wales Australia, hydrology 228(1-2) 10-21
New Zealand
hydrogeology 239(1-4) 19-32
hydrology 237(3-4) 184-197
Ontario, hydrology 228(1-2) 68-81
Oregon, hydrology 233(1-4) 102-120
Poland, hydrology 228(3-4) 188-205
Portugal, hydrology 231-232, 165-177; 231-232, 178-191
Quebec, hydrology 230(3-4) 244-257
Russian Federation, hydrology 230(1-2) 86-126
South Africa, hydrology 241(1-2) 110-123; 241(1-2) 140-151
Spain, hydrology 229(3-4) 255-264
Sudan, hydrology 230(1-2) 86-126
Taiwan, hydrology 238(1-2) 1-14
Turkey, hydrology 229(1-2) 59-69
Uganda, hydrology 230(1-2) 86-126
Utah, hydrology 241(3-4) 221-269
Wisconsin, pollution 236(1-2) 35-53
streams *see* gravel-bed streams
strontium
Sr-87/Sr-86, French Guiana 237(3-4) 212-233

structural basins *see* basins
structural geology *see* faults; fractures
subarctic regions
Yukon Territory, hydrogeology 233(1-4) 206-222
submarine features *see* bottom features
subsurface mining *see* underground mining
Sudan
hydrology 230(1-2) 86-126
Suffolk County New York
ground water 237(3-4) 147-168
sulfates *see* gypsum
sulfur
ground water 228(1-2) 48-55
S-34/S-32
Germany 235(1-2) 72-87
New York 237(3-4) 147-168
Switzerland 235(1-2) 72-87
Utah 236(1-2) 1-16
Wales, hydrology 233(1-4) 121-137
Summit County Utah
hydrology 241(3-4) 221-269
surface reservoirs *see* reservoirs
surface tension
hydrology 231-232, 61-65; 231-232, 76-83; 231-232, 233-243
Portugal, hydrology 231-232, 134-147
South Africa, hydrology 231-232, 87-104
surfactants
hydrology 231-232, 233-243; 231-232, 352-358; 231-232, 359-368
Surinam
Quaternary 234(1-2) 1-20
survey organizations
U. S. Geological Survey, maps 233(1-4) 154-173
surveys *see* geophysical surveys
sustainable development
Kansas, hydrogeology 235(1-2) 27-43
South Africa, ground water 241(1-2) 70-90
Sutherland South Africa
ground water 241(1-2) 91-103
SUTRA
ground water 229(3-4) 290-300
Texas, ground water 238(1-2) 44-64
SWAP model
hydrology 229(1-2) 3-18; 229(1-2) 50-58
SWAT
hydrogeology 236(3-4) 185-201
pollution 236(1-2) 35-53
Swiss Alps
hydrology 239(1-4) 46-68
Swiss Jura Mountains
hydrogeology 237(3-4) 234-247
hydrology 241(3-4) 177-193
Switzerland *see also* Rhine River
ground water, Aargau Switzerland 235(1-2) 72-87
hydrogeology
Neuchatel Switzerland 237(3-4) 234-247
Swiss Jura Mountains 237(3-4) 234-247
hydrology
Swiss Alps 239(1-4) 46-68
Swiss Jura Mountains 241(3-4) 177-193
Ticino Switzerland 239(1-4) 46-68
pollution, Aargau Switzerland 235(1-2) 104-116
Sydney Australia
hydrology 239(1-4) 240-248; 239(1-4) 249-258
symposia
Turkey, hydrology 229(1-2) 1-2; 229(1-2) 1-100
synthetic aperture radar *see* SAR
Szechuan China *see* Sichuan China
Tahiti
hydrology 233(1-4) 86-101
Taipei Taiwan
hydrology 234(1-2) 21-37
Taiwan
hydrology 238(1-2) 1-14
Taipei Taiwan234(1-2) 21-37
Tanzania
hydrology 238(3-4) 231-247
temperature methods *see* heat flow
Tenerife
hydrology 238(3-4) 218-230
Tennessee
ecology, Walker Branch watershed 235(3-4) 183-204
geologic hazards 235(3-4) 151-169
terraces *see* floodplains
Tertiary *see* Neogene; Paleogene
Tessin Switzerland *see* Ticino Switzerland
Texas
ground water
Carson County Texas 238(1-2) 44-64
Gray County Texas 238(1-2) 44-64
Potter County Texas 238(1-2) 44-64
Roberts County Texas 238(1-2) 44-64
hydrology
Austin Texas 230(1-2) 55-69
Houston Texas 230(1-2) 55-69
pollution 228(1-2) 37-47
Thailand
hydrology, Chiang Mai Thailand 240(1-2) 118-130
thermal surveys *see* heat flow
Thessaly Greece
hydrology 234(1-2) 95-109
Tian-Shan *see* Tien Shan
Ticino Switzerland
hydrology 239(1-4) 46-68
Tien Shan
hydrology 238(1-2) 15-34
tillage
Australia, pollution 231-232, 384-395
South Africa, hydrology 241(1-2) 124-139
time domain reflectometry
hydrology 236(3-4) 252-258; 231-232, 255-264; 231-232, 308-319
Tombigbee River
hydrology 228(3-4) 188-205
Tono Japan
hydrology 235(1-2) 117-136
TOPMODEL
Ontario, hydrology 228(1-2) 68-81
total organic carbon
Arizona, hydrology 236(3-4) 202-222
tracers *see also* D/H
California, ground water 236(1-2) 17-34
France, hydrogeology 229(3-4) 138-148; 233(1-4) 241-257
Germany, pollution 240(3-4) 187-205
ground water 233(1-4) 223-240; 234(1-2) 110-111
hydrology 231-232, 255-264
Korea, hydrogeology 229(3-4) 190-201
Oregon, hydrogeology 237(1-2) 100-112
pollution 233(1-4) 19-36
Switzerland, hydrology 241(3-4) 177-193
transformations, Laplace *see* Laplace transformations
transport *see also* solute transport; stream transport
Australia, pollution 231-232, 384-395
California, ground water 236(1-2) 17-34
France, pollution 236(3-4) 139-152
Germany, pollution 240(3-4) 187-205
pollution 228(3-4) 285-291; 228(3-4) 384
travertine
China, hydrogeology 230(1-2) 34-54

Travis County Texas *see* Austin Texas
Triassic
Bunter
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
Keuper
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
Muschelkalk
Germany 235(1-2) 72-87
Switzerland 235(1-2) 72-87
triazines
France, pollution 236(3-4) 139-152
tritium
California, hydrogeology 238(3-4) 194-217
Germany, pollution 240(3-4) 187-205
Ghana, hydrogeology 233(1-4) 37-53
India, ground water 234(1-2) 38-53
Northwest Territories, hydrogeology 235(1-2) 88-103
Oregon, hydrogeology 237(1-2) 100-112
Vermont, hydrogeology 228(1-2) 101-112
Tulsa Oklahoma
hydrology 239(1-4) 69-84
tundra
Northwest Territories, hydrology 237(1-2) 113-125
tunnels
Japan, hydrogeology 234(3-4) 142-161
Turkey
hydrology 238(3-4) 231-247
Turkish Aegean region229(1-2) 1-2; 229(1-2) 1-100; 229(1-2) 3-18; 229(1-2) 19-26; 229(1-2) 27-41; 229(1-2) 42-49; 229(1-2) 50-58; 229(1-2) 59-69; 229(1-2) 70-76; 229(1-2) 77-86; 229(1-2) 87-100
Turkish Aegean region
hydrology 229(1-2) 1-2; 229(1-2) 1-100; 229(1-2) 3-18; 229(1-2) 19-26; 229(1-2) 27-41; 229(1-2) 42-49; 229(1-2) 50-58; 229(1-2) 59-69; 229(1-2) 70-76; 229(1-2) 77-86; 229(1-2) 87-100
Tuscany Italy *see* Arno River basin; Grosseto Italy
U. S. Geological Survey
maps 233(1-4) 154-173
Uganda *see* Lake Albert; Lake Victoria
Ultisols
hydrology 229(3-4) 149-167; 231-232, 66-75
uncertainty
233(1-4) 154-173
France, environmental geology 235(1-2) 44-62
Germany, ground water 237(3-4) 127-146
hydrology 239(1-4) 85-96; 239(1-4) 115-129
Italy, hydrology 234(3-4) 170-186
underground installations
Korea, ground water 236(3-4) 165-184
Nevada, hydrology 228(3-4) 206-214
underground mining *see also* longwall mining
Northwest Territories, hydrogeology 235(1-2) 88-103
underground water *see* ground water
United Kingdom *see also* Great Britain
hydrology 239(1-4) 286-305
soils 231-232, 126-133
United States *see also* Alabama; Alaska; Arizona; Atlantic Coastal Plain; California; Colorado; Florida; Georgia; Idaho; Iowa; Kansas; Massachusetts; Mississippi; Montana; Nebraska; Nevada; New Mexico; New York; North Carolina; Oklahoma; Oregon; South Carolina; Tennessee; Texas; Utah; Vermont; Washington; Wisconsin
ecology, Great Smoky Mountains 235(3-4) 183-204
ground water
Magothy Aquifer 237(3-4) 147-168
Ogallala Aquifer 238(1-2) 44-64
hydrogeology
Arkansas River 235(1-2) 27-43
High Plains Aquifer 235(1-2) 27-43
Mojave Desert 238(3-4) 194-217
hydrology 233(1-4) 1-18; 240(1-2) 90-105
Missouri River 230(1-2) 86-126
Owyhee Mountains 237(1-2) 86-99
Tombigbee River 228(3-4) 188-205
United States Geological Survey *see* U. S. Geological Survey
upper Pleistocene *see* Wisconsinan
Upper Rhine Valley
hydrology 239(1-4) 260-285
Upper Triassic *see* Keuper
Utah
hydrology
Beaver County Utah 241(3-4) 221-269
Summit County Utah 241(3-4) 221-269
pollution
Sevier County Utah 236(1-2) 1-16
Wasatch Plateau 236(1-2) 1-16
Uttar Pradesh India *see* Garhwal Himalayas
Varta River *see* Warta River
vaterite
China, hydrogeology 230(1-2) 34-54
Veneto Italy
hydrology 234(3-4) 170-186
Vermont
hydrogeology, Chittenden County Vermont 228(1-2) 101-112
Vertebrata *see* Pisces
Victoria Australia
hydrology, Melbourne Australia 236(3-4) 153-164
volcanic ash
hydrology 231-232, 66-75
volcanic rocks *see* basalts
Volta Basin
hydrogeology 233(1-4) 37-53
Wakayama Japan
hydrogeology 234(3-4) 142-161
Wales *see also* Wye Valley
hydrology 233(1-4) 121-137
Walker Branch watershed
ecology 235(3-4) 183-204
Walnut Creek
hydrogeology 236(3-4) 223-246
Warragamba Dam
hydrology 239(1-4) 240-248; 239(1-4) 249-258
Warta River
hydrology 228(3-4) 188-205
Wasatch Plateau
pollution 236(1-2) 1-16
Washington
pollution, Hanford Site 230(1-2) 70-85
waste disposal *see also* landfills; radioactive waste; underground installations
ground water 229(3-4) 290-300
India, hydrogeology 234(3-4) 249-263
waste water
France, pollution 238(3-4) 179-193
waste, radioactive *see* radioactive waste
water cycle *see* hydrologic cycle
water repellants *see* hydrophobic materials
water resources *see also* reservoirs; water use

England, ground water 233(1-4) 54-71
Ghana, hydrogeology 233(1-4) 37-53
Greece, hydrology 234(1-2) 95-109
hydrology 239(1-4) 232-239; 231-232, 4-32
Kansas, hydrogeology 236(3-4) 185-201
New South Wales Australia, hydrology 228(1-2) 10-21; 239(1-4) 240-248; 239(1-4) 249-258
South Africa
hydrogeology 241(1-2) 1-151
hydrology 241(1-2) 140-151
water use
Kansas, hydrogeology 235(1-2) 27-43; 236(3-4) 223-246
Malaysia, hydrology 236(1-2) 109-120
Turkey, hydrology 229(1-2) 77-86
Victoria Australia, hydrology 236(3-4) 153-164
water, waste *see* waste water
water-air interface *see* air-water interface
water-mineral interface *see* mineral-water interface
water-rock interaction
French Guiana, hydrogeology 237(3-4) 212-233
hydrology 230(3-4) 127-171
Italy, hydrogeology 241(3-4) 194-220
Utah, pollution 236(1-2) 1-16
water-soil balance *see* soil-water balance
waterways
Namibia, hydrology 241(1-2) 62-69
New South Wales Australia, hydrology 228(1-2) 10-21
South Africa, hydrology 241(1-2) 62-69
weathering
chemical weathering, hydrology 230(3-4) 127-171
Colombia, hydrology 237(3-4) 169-183
well-logging
Kuwait, ground water 234(3-4) 208-227
South Africa, ground water 241(1-2) 70-90
wellhead protection
Germany, ground water 237(3-4) 127-146
West Africa *see* Ghana; Niger
West Indies *see* Antilles
Western Alps *see* Maritime Alps
Western Australia
environmental geology 231-232, 396-405
hydrology 240(1-2) 23-44; 231-232, 323-332
Western Canada *see* British Columbia; Northwest Territories; Saskatchewan; Yukon Territory
Western Europe *see* Belgium; France; Ireland; Maritime Alps; Meuse River; Netherlands; Scandinavia; United Kingdom
Western Ghats
hydrogeology 228(3-4) 215-227
hydrology 235(1-2) 63-71
wetlands
Saskatchewan, hydrology 237(1-2) 74-85
Wetterau
pollution 240(3-4) 187-205
Whitehorse Yukon Territory
hydrogeology 233(1-4) 206-222
wireline logging *see* well-logging
Wisconsin
pollution, Dane County Wisconsin 236(1-2) 35-53
Wisconsinan
Surinam 234(1-2) 1-20
Worcester County Massachusetts
hydrogeology 230(3-4) 211-229
Wye Valley
hydrology 228(1-2) 130-149
Yellowknife Northwest Territories
hydrogeology 235(1-2) 88-103
Yosemite National Park
hydrology 236(1-2) 121-138
Yuba County California
hydrology 240(1-2) 106-117
Yucca Mountain
hydrology 228(3-4) 206-214
Yukon Territory
hydrogeology, Whitehorse Yukon Territory 233(1-4) 206-222
Zimbabwe
hydrology 238(3-4) 231-247